


Room concepts made of natural wood for floors, walls & ceilings

Step into the world of Admonter room concepts





Elements





Wooden Doors

HOW TO FIND US!



APPROACH

From the direction of Salzburg (D):

In the direction of Graz along the A10 \rightarrow at the Ennstal junction in the direction of Schladming/ Graz B146 \rightarrow directly after Liezen at the intersection turn left in the direction of ADMONT

From direction of Vienna - Vienna airport:

Exit airport + A4 direction Vienna

After 6 km → S1 Wiener Aussenringschnellstraße until intersection Vösendorf - A2 direction Graz/ Linz until intersection Seebenstein (51 km) - S6 Semmering Schnellstraße until intersection St. Michael (103 km) - A9 direction Salzburg/Linz → Exit ARDNING/ADMONT - B146 Gesäusebundesstraße direction Admont.

From the direction of Villach/Klagenfurt (I):

In Salzburg on the A10 \rightarrow at the Ennstal junction in the direction of Schladming/Graz B146 \rightarrow directly after Liezen at the intersection turn left in the direction of ADMONT.

From the direction of Linz: A1 in direction Salzburg → at Voralpenkreuz

→ A9 direction Graz exit ARDNING/ADMONT
 B146 Gesäusebundesstraße direction Admont

From the direction of Graz (SLO, H):

In the direction of Salzburg on the A9 \rightarrow at the Selzthal junction, in the direction of Linz \rightarrow turn off in the direction of ADMONT immediately before customs (Bosrucktunnel).





STIA Holzindustrie GmbH

8911 Admont / Austria, Sägestraße 539 Telefon: +43(0)3613/3350-0, Fax: +43(0)3613/3350-119, E-mail: info@admonter.at FN237499p (LG Leoben) Gerichtsstand Liezen, UID-Nr.: ATU57198366 Bankverbindung: Raiffeisenbank Admont, IBAN: AT88 3800 1000 0002 7276, BIC: RZSTAT2G001



Room concepts made of natural WOOD for floors, it walls & ceilings

ADMONTER INTERNATIONAL SALES TEAM

Head of International Sales Helmut Klausner

International Sales Manager

johannes.kniewasser@admonter.at

Johannes Kniewasser

+43 3613 3350 170

+43 664 8835 7748





Projects Margrit Steiner



margrit.steiner@admonter.at +43 (3613) 3350 169

International Sales Manager Stefanie Gsenger



stefanie.gsenger@admonter.at +43 3613 3350 190 +43 664 831 2037

Customer service France and BENELUX Brigitte Kahlhofer

brigitte.kahlhofer@admonter.at

Back-office International David Schwab



export@admonter.at +43 3613 3350 164



INQUIRIES

offer@admonter.at

+43 (3613) 3350 150

AFTER SALES export@admonter.at service@admonter.at



TSCI / OCEAN OUTH

ORDERS

Natural Wood Floors Floors

Natural Wood Panels Elements

Natural Acoustic Panels Acoustics

Naturholzstiegen Stairs

Natural Wood Doors Doors

Admonter Holzindustrie AG Sägestraße 539 | 8911 Admont, Austria +43 (0) 3613 3350 | info@admonter.at

FN237499p Landesgericht Leoben, Gerichtsstand Liezen | UID-Nr.: ATU57198366 Raiffeisenbank Admont, IBAN: AT88 3800 1000 0002 7276 | BIC: RZSTAT213001





Th

Raumkonzepte aus Naturholz auf Boden, Wand & Decke

ALLES AUS EINER HAND ALL FROM A SINGLE SOURCE



DAS ADMONTER SORTIMENT ADMONTER RANGE OF PRODUCTS

Naturholzböden Wooden floors Naturholzplatten Wooden panels Naturholz-Akustikplatten Wooden acoustic panels



Naturholzstiegen Wooden stairs Naturholztüren Wooden doors



Raumkonzepte aus Naturholz auf Boden, Wand und Decke.



Unsere Böden, Wände, Decken, Treppen, Türen oder auch Akustiklösungen sind perfekt aufeinander abgestimmt, um Wohn(t)räume Wirklichkeit werden zu lassen.

Zum elementaren Vorzug eines natürlichen, lebendigen Materials kommen bei Admonter weitere Pluspunkte hinzu: der naturnahe Entstehungsort, das Holz aus nachhaltiger Forstwirtschaft, händisch kontrollierte Qualitätsarbeit und zeitloses Design, das überall Atmosphäre schafft.

Room concepts made of natural wood for floors, walls & ceilings.

Create beautiful living spaces with our matching solutions for floors, walls, ceilings, stairs, doors and acoustics. In addition to the elementary advantage of a natural, living material, the further plus points are: the natural place of origin, the wood from sustainable forestry, hand-controlled quality work and timeless design that creates atmosphere everywhere.

admonter.com






Naturholzboden & Naturholz-Akustikplatten LÄRCHE Stegerhof, Österreich

Wooden floors & Wooden acoustic panels LARCH Stegerhof, Austria







Naturholz-Akustikplatten FICHTE WEISS Volksschule in Saalbach - Hinterglemm, Österreich

Wooden acoustic panels SPRUCE WHITE Elementary school in Saalbach - Hinterglemm, Austria



0







Naturholzboden & Naturholzplatten EICHE WEISS Privatobjekt, Kanada

Wooden floors & wooden panels OAK WHITE Private project, Canada










Sondertreppenlösung gefertigt aus Naturholzplatten & Naturholz-Akustikplatten LÄRCHE

Firmengebäude, Österreich | Architekt Plan MAS Matthias Schulmayr

Tailor-made stair solution made of wooden panels & wooden acoustic panels LARCH Company building, Austria | architect Plan MAS Matthias Schulmayr

<u>}</u>





Naturholzboden & Naturholz EICHE LAPIS Privatobjekt, Österreich

Privatobje

Wooden floors, Wooden door OAK LAPIS Private project, Austria





23

Wooden acoustic panels RECLAIMED WOOD HACKED H3 Hotel, Austria



Naturholzboden & Naturholz-Akustikplatten EICHE LAPIS & FICHTE Hotel Edelweiss, Österreich

Wooden floors & Wooden acoustic panels OAK LAPIS & SPRUCE Hotel Edelweiss, Austria

<u><u></u></u>



3/1





Naturholzboden KERNESCHE Privathaus Fink, Andelsbuch / Apartments Bregenzerwald

Wooden floors CORE-ASH Private home Fink, Andelsbuch / Apartments Bregenzerwald





Naturholz-Akustikplatten TANNE Gemeinde Großomain Österreich

<u></u>

Gemeinde Großgmain, Österreich

Wooden acoustic panels FIR Municipality Großgmain, Austria





Naturholz-Akustikplatten EICHE KEILGEZINKT Privathaus, Deutschland | Engelshove Bau Architektur

Wooden acoustic panels OAK FINGER-JOINTED Private home, Germany | Engelshove Bau Architektur





<u>£</u>}

Naturholzboden & Naturholzstiegen EICHE Jack & Joe's Maribor, photo by Simon Koleznik, Slowenien

Wooden floors & wooden stairs OAK Jack & Joe's Maribor, photo by Simon Koleznik, Slovenia



Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | admonter.com

Naturholzböden Wooden floors Naturholzplatten Wooden panels Naturholz Akustikplatten Wooden acoustic panels Naturholzstiegen Wooden stairs Naturholztüren Wooden doors



TEXTURES



sanded



brushed



scraped



used



cross



alpin



antico



autentico



Wooden floors Floors

Room concepts made of natural wood for floors, walls & ceilings

4,

Values

Ve have been dealing with wood in this region for almost 1,000 YEARS. Its eternal beauty and originality have inspired our craft ever since. It is important to us that we source our wood exclusively from SUSTAINABLY managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with. For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

A... ALL FROM A SINGLE SOURCE.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements.Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

D... DESIGN WITH WOOD.

CS ...

Admonter offers everything – both inside and outside the mainstream. Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

M... MULTILAYERED STRUCTURE

This makes all Admonter products so stable and resistant to warping.

0... **Ora** et labora et lege.

Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

N... NATURALNESS AND SUSTAINABILITY.

All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

T... TEAM


In Admont, around 300 people work daily to make the most out of the wood as raw material and so create the Admonter products in the quality that they are known for internationally.

E... EARNEST

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

R... REGIONALITY

An Admonter product is 100 % produced in Admont. Only in Admont. Period.



Powerful Sales Tools – Digital





You can find the complete range of digital sales tools on: **admonter.com**

- » ADMONTER VIRTUAL LIVING WOODS
- » 360° VR TOOL
- » ADMONTER APP
- » 3D TOUR OF SHOWROOM
- » 3D TOUR OF PRODUCTION

ADMONTER B2B – ONLINESHOP LIMITED EDITION – SHOP.ADMONTER.COM/HAENDLERLOGIN

For Admonter B2B customers, registration & login required. Ask your Admonter contact person for assistance with your registration.

ADMONTER B2C – ONLINESHOP – SHOP.ADMONTER.COM Admonter online shop for floor / wall / ceiling


Introduction FLOORs

CONSTRUCTION – THICKNESS (MM) TOP LAYER:

- » Only the best timber is selected for the top layer of an Admonter wide plank floor. It is approx. 3.6 mm for softwood and hardwood.
- » Products with a top layer thickness of approx. 2.5 mm (see table below).

TRANSVERSE MIDDLE LAYER:

This reduces warping of the width of the plank and stabilises the top layer.



Construction	Thickness mm	Top layer mm	transverse middle layer	Backing	bevel (mm)
3-Layer	approx. 15	approx. 3,6	Solid wood	Solid wood	on 4 sides (A = 0,5)
3-Layer SMALL	approx. 13	approx. 3,6	Solid wood	Solid wood	on 4 sides (A = 0,3)
3-Layer antico	approx. 15	approx. 3,6	Solid wood	Solid wood	V-bevel ($A \approx 1,5$)
3-Layer autentico	approx. 15	approx. 3,6	Solid wood	Solid wood	Round bevel
3-layer Chevron	approx. 15	approx. 3,6	Solid wood	Solid wood	on 4 sides (A = 0,3)
2-Layer	approx. 10	approx. 3,6		Solid wood	on 4 sides (A = 0,3)
Chevron	approx. 10	approx. 2,5		HDF	on 4 sides (A = 0,3)
3-Layer ONDO	approx. 13	approx. 2,5	Solid wood	Softwood veneer	on 4 sides (A = 0,5)

INSTALLATION SYSTEM

» Glueless installation system: lock-it

» Classic Tongue & groove – this system has been proven for decades and is the best solution for the installation of long and wide planks in large dimensions.

Tongue & groove


lock-it

All 3-layer floors construction can be installed either floating or fully glued-down. 2-layer floors and small formats (Rhombus, twin, Chevron) HAVE TO be glued-down over the entire surface. Please visit admonter.com for more information in the care instructions on the cleaning & maintenance guide.

SELECTION OF LENGTHS

- 01. **SMALL:** Length from **590 up to 1200 mm**. Also suitable to create a herringbone pattern.
- 02. CLASSIC: Lengths up to 2400 mm.
- 03. LONG: 2800 mm long.
- 04. XXLONG: The length of these planks are 3500 up to 8000 mm giving a special character to big rooms.





Oak noblesse

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Oak

SURFACE TEXTURE brushed / sanded / scraped / antico / used / autentico / cross / alpin

FINISH natural oiled easy care / natural oiled pro care / matt lacquer

GRADING noblesse / elegance / basic / naturelle / rustic **XXLONG:** nature


FORMAT small / classic / long / XXLong

PROFILE lock-it / Tongue & groove



PRIVATE APPARTEMENT, PALMA SPAIN PRIVATE HOUSE GIERER, AUSTRIA











HOTEL EDELWEISS WAGRAIN



Oak stone rustic

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Oak stone

SURFACE TEXTURE brushed / sanded / scraped / used / autentico / cross / alpin

FINISH

natural oiled easy care / natural oiled pro care / matt lacquer

GRADING noblesse / elegance / basic / naturelle / rustic XXLONG: nature

FORMAT small / classic / long / XXLong

PROFILE

lock-it / Tongue & groove

Oak white basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC




Possible executions of the Oak white


SURFACE TEXTURE brushed / sanded / scraped / autentico / alpin / cross / used

FINISH natural oiled easy care /natural oiled pro care / matt lacquer

GRADING noblesse / elegance / basic / naturelle / rustic **XXLONG:** nature

FORMAT small / classic / long / XXLong





nter



Oak Griseo noblesse

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Oak Griseo

SURFACE TEXTURE

FINISH

natural oiled easy care

GRADING noblesse / basic XXLONG: nature


FORMAT classic / long / XXLong

PROFILE

lock-it / Tongue & groove

Oak Seta basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC





SMOKED PRODUCTS

• Possible executions of the Oak Seta

SURFACE TEXTURE brushed / scraped / cross / used

FINISH natural oiled easy care

GRADING basic / naturelle / rustic

FORMAT small / classic / long



PRIVATE HOUSE TYROL







Oak Aurum rustic

BRUSHED NATURAL OILED EASY CARE





SMOKED PRODUCTS

Possible executions of the Oak Aurum

SURFACE TEXTURE

brushed / scraped / cross

FINISH natural oiled easy care

GRADING

rustic

FORMAT

classic

Oak Soren basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC



THERMO-TREATED

Possible executions of the Oak Soren

SURFACE TEXTURE

brushed

FINISH natural oiled easy care

GRADING noblesse / basic

FORMAT

classic





Core Ash NATURA basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Core Ash NATURA -

SURFACE TEXTURE

brushed / scraped


FINISH natural oiled easy care

GRADING

basic

FORMAT small / classic





American Walnut

SANDED, NATURAL OILED EASY CARE - CLASSIC



Possible executions of the American Walnut

SURFACE TEXTURE


sanded / antico

FINISH

natural oiled easy care / natural oiled pro care / matt lacquer

GRADING elegance / rustic

FORMAT small / classic



Larch natural

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Larch

SURFACE TEXTURE sanded / brushed / autentico / antico

FINISH natural oiled easy care / natural oiled pro care / matt lacquer

GRADING naturelle

FORMAT classic / XXLong

PROFILE lock-it / Tongue & groove







Multibond



Possible executions of Multibond

TYPES OF WOOD Oak / Oak stone / Oak white / Ash / Ash white / Larch / Larch white

SURFACE TEXTURE brushed / sanded

FINISH natural oiled easy care / matt lacquer

FORMAT small / classic 130 x 1200 mm / 200 x 2400 mm

PROFILE lock-it / Tongue & groove

CONSTRUCTION

1-layer / 2-layer / 3-layer with bevel / without bevel









Grading description

SOFTWOOD NATURELLE

- » Rustic grading, surface full of natural character
- » Black knots, resin pockets, sapwood and shakes are possible
- » colour and structural variations due to the grain patterns and the origin
- » cracks and shakes are professionally filled
- » Shakes and not completely filled knots are typical for this knotty-rustic grade

BASIC

- » Vivid, knotty appearance
- » Black knots, resin pockets and small shakes are possible
- » contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled

HARDWOOD

NOBLESSE


- » soft, structural appearance
- » in principle knotless (occasional pin knots possible)
- » no sapwood
- » straight an wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » basically no filled knots

ELEGANCE

- » soft structural appearance with only a few knots
- » no sapwood except American Walnut and American Cherry
- » straight and wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » small knotholes and shakes are professionally filled
- » filled with a brown filler (expect: American Walnut with black filler)









BASIC

- » Knotty grading
- » no sapwood
- » straight and wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled with a brown filler

NATURELLE

- » rustic grading, surface full of natural character
- » straight and wavy grain
- » occasional heartwood depending on the wood species
- » strong contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled
- » shakes and occasional not completely filled knots are a typical feature of the naturelle grade
- » without sapwood
- » filled with a brown filler

RUSTIC

- » Rustic grading, surface full of natural character
- » no sapwood (except American Walnut)
- » straight and wavy grain
- » occasional heartwood depending on the wood species
- » strong contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled with a black filler
- » Shakes and occasional not completely filled knots are a typical feature of the rustic grade

NATURE

(Mixed grading for XXL Oak) Only available in mixed lenghts and widths

- » soft, structural to vivid appearance
- » no sapwood
- » straight and wavy grain
- » contrasting colour variation and grain
- » patterns due to the origin and growth of the trees
- » fallen out knots and cracks are filled matching the appearance of the whole plank
- » cracks and partly not fully filled knots are a valued feature
- » filled with brown filler

Colour range – Floors

NATURAL WOOD FLOOR - OAK

Sometimes natural, sometimes noble, but always highly durable: the many facets of oak. There is huge variety between different types of oak. The range of colours and potential ambiences never ceases to surprise. And this is precisely the reason behind the huge popularity of this hard-wearing wood.






01 OAK ALPINO / 02 OAK MARSHAL / 03 OAK SUPERBIANCO / 04 OAK WHITE / 05 OAK NATURA / 06 OAK STONE 07 OAK PRAIRIE / 08 OAK / 09 OAK IGNIS / 10 OAK SALIS / 11 OAK LAPIS / 12 OAK SETA / 13 OAK AURUM 14 OAK MEDIUM / 15 RECLAIMED WOOD OAK / 16 OAK FUMO / 17 OAK WHISKY / 18 OAK MARRONE 19 OAK MONTES / 20 OAK GREY / 21 OAK GRISEO / 22 OAK SOREN

NATURAL WOOD FLOOR – HARDWOOD

Design quality and natural charm are inseparable in our hardwood products. Since living and interior design are all about individuality we offer a wide range of different hardwoods.




01 ASH | 02 CORE ASH NATURA | 03 AMERICAN WALNUT

NATURAL WOOD FLOOR – SOFTWOOD

At home in any environment: our wide variety of softwoods makes anything possible. Compared with hardwood species, softwoods such as Larch, Spruce, Pine, and Stone Pine are softer and lighter. At the same time, with their more even grains and specific colours, they open up some delightful design possibilities.



01 LARCH ALBA / 02 LARCH WHITE / 03 LARCH LYE-WASHED WHITE / 04 LARCH NATURA / 05 LARCH 06 LARCH AGED NATURA / 07 LARCH AGED / 08 LARCH LYE-WASHED NATURA / 09 LARCH GRIGIO 10 SPRUCE WHITE / 11 SPRUCE / 12 STONE PINE WHITE / 13 STONE WHITE BASIC / 14 PINE BASIC 15 RECLAIMED WOOD EXTREME / 16 RECLAIMED WOOD MULTI-STRIP

















1 SANDED

For many years this has been a standard finish of wide plank wood floors. A totally smooth surface is achieved by the uniform sanding of the wood.

2 BRUSHED

Wood invites you to touch it and to experience it with all your senses. The soft parts of the wood are brushed out of the floorboard. This creates a beautiful texture with a surface that is more durable.

3 SCRAPED

Scraped and gently brushed lengthways highlights the rich, organic texture within the wood grain. In this way the natural beauty of the wood comes into its own.

4 USED

Used is created by vigorous brushing across the grain, which gives the floorboard a look and feel with a stunning character, while perfectly equipping it for every situation in the life of a floorboard. It becomes even more beautiful and lively as the days go by.

5 CROSS

Strong brushing along and across the grain makes cross-textured floors an exceptionally resilient companion full of character for lovers of strong textures.

6 ALPIN

Combining scraping with strong brushing across the fibres that loves to be explored by hands and feet.

7 ANTICO (only possible with Pro Care natural oiled finish)

Antico conveys the flair of the "good old days" and is aimed at all lovers of nostalgia. Using a variety of finishing steps such as strong texturing and 3D brushing as well as a V-joint, these floors are made to look oldfashioned.

8 AUTENTICO (only possible with Pro Care natural oiled finish)

The grooves and small curvatures around the knotholes create an authentic design that cannot be improved on. Here nature indicates the direction.

Textures

Skin on wood – an inherent yearning that we all carry within us. TOUCH AND FEEL NATURE with your feet or hands. At Admonter, we love wood and emphasise its innate characteristics, unlocking it so that nature becomes tangible to us in our quest to understand it. Different textures invite you to touch – depending on what you like. BRUSHING and SCRAPING create a sensual experience. We reinforce that with excellent CRAFTSMANSHIP and decades of EXPERIENCE. For us, every groove and every grain manifest the uniqueness and the desire to touch.

SANDED – BRUSHED – SCRAPED – USED – CROSS – ALPIN – ANTICO – AUTENTICO

Textures – Highlights



AUTENTICO

Every branch has its purpose, every groove and even the smallest curvature meaning. Here nature indicates the direction. Format: 15 x 192/195 x 2000 mm













USED

Every floorboard is brushed once on the edge, in the middle or over the entire surface – the mixed laying creates a special image of this texture. Format: 15 x 192 x 2000/2400 mm






ANTICO

Unique ageing techniques like distressing, 3 dimensional brushing and strong bevelled edges give the planks the beautiful characteristics of traditional hand finished floors with a visible texture and a very durable surface. Format: 15 x 158/188/192 x 2000 mm

ARCH AGED












OAK IGNIS

ALPIN

Combining strong across brushing and a scraping of the wood creates a truly unique sensory experience.





Selection – Floors

NATURA FLOORS – FEELS LIKE UNTREATED

Nearly as nature created it. Untreated floors exert a special fascination. Noble, stylish and with just the right touch of originality, NATURA meets all these requirements. Format: 10/15 x 158/161/180/192/195/240 x 1850/2000/2400 mm

Nearly as nature created it. Untreated floors exert a special fascination.






RECLAIMED WOOD

The rough character of these floors makes them unsuitable to walk barefoot on. They compensate with their uniqueness and their very special charm between design and alpine tradition. Note: knots and shakes are not filled surface-to-surface, in particular, for example, wormholes can be present. Format: 15 x 192/240 x 1850/2000/2400 mm

When we let high-quality foliage and softwood look old, we do for good reason. Every grain is a living patern, every groove tells its own story.



Selection Formats – FLOORs



HERRINGBONE TWIN

Tradition reinterpreted. Practical to handle, diverse in design and a lot of choice. A simplified execution of the classic herringbone pattern. Format: 10 x 120 x 590 mm und 15 x 120 x 590 mm

Popular for centuries in palaces and mansions, this magnificent wooden floor still brings an special flair to all rooms.








CHEVRON

Various formats and angles $(45^{\circ} - 120 \times 500 \text{ mm};$ $60^{\circ} - 120 \times 525 \text{ mm})$ make the traditional herringbone pattern a design highlight full of classic elegance. In 10 and 15 mm thickness.

A classic is rediscovered! The traditional Chevron/Hungarian herringbone pattern is the design highlight when it comes to bringing elegance to smaller rooms, but also larger areas if you like. The natural beauty of the wood is emphasized and contributes to the classic look.








For a greater impression. Format: 15 x 280 x 2800 mm

LONG

Times have changed, but our passion fo noble an exclusive long floorboards has remained. And they fint in beautifully: THEN, AS TODAY.





XXLONG

Format: 15 x 192/240/280/325 x 3500 – 5000 mm (Lengths subject to availability, on request possible up to 8000 mm in hardwood.)

With great tradition and sometimes of quite considerable length up to 8 meters. What nature provides us, we turn into floorboards of EXTRAVAGANT LENGTHS.





Surface finishes – Floors

EASY-CARE (EC) -

EC

READY-TO-USE, OILED FINISH - NO INITIAL OIL TREATMENT REQUIRED!

ALL EASY-CARE textures are always delivered FINISHED and therefore have a very high resistance to soiling at the factory. The mechanical load-bearing capacity is regularly tested in-house, which ensures that it is suitable for use on buildings. The EASY-CARE texture includes high process reliability and color constancy and has a high mechanical load capacity. NO initial maintenance required, ongoing maintenance MUST be carried out according to the use! The easy care natural oil consists of sustainable raw materials. The oils used for the Easy Care Texture are natural oils in accordance with ÖNORM C 2380: 2008, point 4.

PC

PRO-CARE –

PRE-OILED AT THE FACTORY – INITIAL CARE MANDATORY (PC) Natural Oiled Pro Care floors require a post-installation oil PC before they can be used. Hardening by oxidation.



MATT LACQUER (ML) –

The application of Matt Lacquer will completely seal the surface and pores of the wood. This finish is very durable and absolutely uncomplicated in care and maintenance.

All Admonter floors are a natural product and will over time change colour. Depending on the amount of exposure your floor has to sunlight, lighter timber will turn darker and darker timber will become lighter. This change is most pronounced in the first 3–6 months. Depending on the respective surface treatment (e.g. easy care, matt lacquered, pro care) there may be deviations in color and appearance. -> DOP and standard fire behaviour classifications not valid with regards to raw surfaces.

Admonter cleaning and care products

FOR MAINTENANCE CARE



WHITE

For details on installation, cleaning and care, please refer to the installation and care instructions at **admonter.com/en/downloads**





Equipment



SKIRTING

FLUSH-MOUNT SKIRTING

The flush-mount skirting board (protected by patents) is available with almost all Admonter wood species and finishes as well as a version in white that can be finished on site.

- » sanded
- » Length 2375 mm
- » Height approx. 60 mm (visible)









SYSTEM 1 – BOX CONSTRUCTION FROM 1 COMPONENT. WALL FACING END OPEN.

2 different standard dimensions

SYSTEM 2 – BOX CONSTRUCTION FROM 2 COMPONENTS. WALL FACING END OPEN. BOX LID ON UNDERSIDE LEFT OPEN FOR GLUING ON SITE.

Like variant 1 but in 2 interlocking pieces



SYSTEM 3 – BOX CONSTRUCTION FROM 2 COMPONENTS. BOTH ENDS OF BOX OPEN

2 different standard dimensions

290 mm 5 330 mm

290 mm 5 330 mm

DIMENSION 1

Tread depth – 330 mm Tread height – 105 mm Tread length – variable up to max. 1200 mm For sub-construction e.g. 60 x 60 mm square tube

DIMENSION 2

Tread depth – 330 mm Tread height – 85 mm Tread length – variable up to max. 1200 mm For sub-construction e.g. 40 x 40 mm square tube

Selfsupporting stair

BASIC DESIGN

Self-supporting stair elements are the optimal solution for stringer stair designs with a bracket support of at least 50 mm on both sides. A maximum element width of 1,500 mm is possible. The elements are fastened to the bottom of the brackets using adhesive and/or screws. Matching the material to the structure and colour of your floor surface harmoniously enhances the overall look and feel of your home design."

In-situ concrete stair


DESIGN

What use is the most beautiful natural floor without a matching staircase? It is important to us at Admonter to add to the NATURAL WOOD EXPERIENCE in one flowing design. And this naturally includes matching stair nosings. Whether you choose them from our standard range or we custom-make them for you. We offer INDIVIDUAL solutions.

BASIC DESIGN

In-situ concrete stairs are clad the same wood as your floor surface. This ensures the optimal matching of structure and colour. The element width for straight steps is 1,180 mm and can be designed either with or without a side edge. The element depth for straight steps is 450 mm. The tread depth is professionally adjusted on site by a skilled craftsman. We can also manufacture special elements for in-situ spiral concrete staircases. If required, risers for the vertical mirror cladding can also be matched to the floor with the same structure and colour as the step cladding.

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com





Room concepts made of natural wood for floors, walls & ceilings



Values

We have been dealing with wood in this region for almost 1,000 YEARS. Its eternal beauty and originality have inspired our craft ever since. It is important to us that we source our wood exclusively from SUSTAINABLY managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with. For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

A... ALL FROM A SINGLE SOURCE.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements.Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

D... DESIGN WITH WOOD.

Admonter offers everything – from the ordinary to the more unique. Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

M... MULTILAYERED STRUCTURE

This makes all Admonter products so stable and resistant to warping.

O... ORA ET LABORA ET LEGE.

Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

N... NATURALNESS AND SUSTAINABILITY.

All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

T... TEAM

In Admont, around 300 people work daily to make the most out of the wood as raw material and to create the Admonter products in the quality that they are known for internationally.

E... EARNEST

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

R... REGIONALITY

An Admonter product is 100 % produced in Admont. Only in Admont.







Larch Alba

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch Alba

SURFACE TEXTURE & FINISH

brushed natural oiled easy care cross natural oiled easy care

GRADING

naturelle

FORMAT


classic: 15 x 161/195/240 x 1850/2000/2400mm xxlong: 15 x 158/192/240 x 3870/4470/4870mm

PROFILE



Larch white

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch white

SURFACE TEXTURE & FINISH brushed natural oiled easy care


GRADING

naturelle

FORMAT

classic: 15 x 161/195/240 x 1850/2000/2400mm xxlong: 15 x 158/192/240 x 3870/4470/4870mm

PROFILE



Multibond Larch white

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch white

SURFACE TEXTURE & FINISH brushed natural oiled easy care




GRADING Multibond

FORMAT

classic: 10 x 130 x 1200mm (tongue & groove) classic: 15 x 195 x 2400mm (lock-it / tongue & groove)

PROFILE





Larch lye-washed white

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch lye-washed white

SURFACE TEXTURE & FINISH

brushed natural oiled easy care

GRADING

naturelle

FORMAT

classic: 15 x 161/195/240 x 1850/2000/2400mm xxlong: 15 x 158/192/240 x 3870/4470/4870mm

PROFILE

lock-it / tongue & groove

 \supset

Larch lye-washed

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch lye-washed

SURFACE TEXTURE & FINISH brushed natural oiled easy care


GRADING

naturelle

FORMAT

classic: 15 x 161/195/240 x 1850/2000/2400mm xxlong: 15 x 158/192/240 x 3870/4470/4870mm

PROFILE





Larch Natura

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch Natura

SURFACE TEXTURE & FINISH

brushed natural oiled easy care

GRADING

naturelle

FORMAT

classic: 15 x 161/195/240 x 1850/2000/2400mm xxlong: 15 x 158/192/240 x 3870/4470/4870mm

PROFILE

lock-it / tongue & groove



Larch

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch

SURFACE TEXTURE & FINISH

sanded natural oiled easy care or matt lacquer brushed natural oiled easy care or matt lacquer autentico brushed natural oiled pro care scraped natural oiled easy care




GRADING

naturelle

FORMAT

classic: 15 x 161/195/240 x 1850/2000/2400mm xxlong: 15 x 158/192/240 x 3870/4470/4870mm

PROFILE



Multibond Larch

BRUSHED NATURAL OILED EASY CARE



Possible options of Larch

SURFACE TEXTURE & FINISH brushed natural oiled easy care



GRADING

Multibond

FORMAT

classic: 10 x 130 x 1200mm (lock-it / tongue & groove) classic: 15 x 195 x 2400mm (lock-it / tongue & groove)

PROFILE





Larch Aged white

INTENSIVE NATURAL OILED PRO CARE PLUS- STEAMED



Possible options of Larch Aged white

SURFACE TEXTURE & FINISH intensive natural oiled pro care plus

GRADING Multi-strip naturelle

FORMAT classic: 15 x 192 x 1930mm

PROFILE

tongue & groove (lock-it on request)

PRO

Larch Aged Natura

BRUSHED NATURAL OILED EASY CARE - STEAMED



Possible options of Larch Aged Natura


SURFACE TEXTURE & FINISH brushed natural oiled easy care


GRADING

naturelle

FORMAT classic: 15 x 195 x 1850/2000/2400mm

PROFILE lock-it / tongue & groove





Larch Aged

BRUSHED NATURAL OILED EASY CARE - STEAMED



Possible options of Larch Aged

SURFACE TEXTURE & FINISH

brushed natural oiled easy care intensive natural oiled pro care plus

GRADING

naturelle Multi-strip naturelle (Surface texture intensive)

FORMAT

classic: 15 x 195 x 1850/2000/2400mm | intensive: 15 x 192 x 1930mm

PROFILE

tongue & groove / lock-it (lock-it on request regarding surface texture intensive)



Larch dark Grigio

ANTICO NATURAL OILED PRO CARE PLUS - THERMO-TREATED



Possible options of Larch dark Grigio

PRO


SURFACE TEXTURE & FINISH antico natural oiled pro care plus

GRADING

naturelle

FORMAT classic: 15 x 192 x 2000mm

PROFILE tongue & groove



Spruce Alba

BRUSHED NATURAL OILED EASY CARE



Possible options of Spruce Alba

SURFACE TEXTURE & FINISH

brushed natural oiled easy care strongly brushed natural oiled pro care plus autentico strongly brushed natural oiled pro care plus




GRADING

basic

FORMAT

classic: 15 x 195 x 1850/2000/2400mm xxlong: 15 x 158/192 x 4870mm

PROFILE





Spruce white

BRUSHED NATURAL OILED EASY CARE



Possible options of Spruce white

SURFACE TEXTURE & FINISH

brushed natural oiled easy care strongly brushed natural oiled pro care plus autentico strongly brushed natural oiled pro care plus intensive natural oiled pro care plus (only available in tongue & groove multi-strip)

GRADING

basic Multi-strip basic (Surface texture intensive)

FORMAT

classic: 15 x 195 x 1850/2000/2400mm | intensive: 15 x 192 x 2400mm xxlong: 15 x 158/192 x 4870mm

PROFILE

tongue & groove / lock-it (lock-it on request regarding surface texture intensive)

Spruce Natura

BRUSHED NATURAL OILED EASY CARE



 \Box .

Possible options of Spruce Natura

SURFACE TEXTURE & FINISH brushed natural oiled easy care


GRADING

basic

FORMAT

classic: 15 x 195 x 1850/2000/2400mm xxlong: 15 x 158/192 x 4870mm

PROFILE



PRIVATE HOME, AUSTRIA



Spruce

BRUSHED NATURAL OILED EASY CARE



Possible options of Spruce

SURFACE TEXTURE & FINISH

brushed natural oiled easy care strongly brushed natural oiled pro care plus autentico strongly brushed natural oiled pro care plus

GRADING

basic

FORMAT

classic: 15 x 195 x 1850/2000/2400mm xxlong: 15 x 158/192 x 4870mm

PROFILE

lock-it / tongue & groove



AUTENTICO STRONGLY BRUSHED

Spruce Aged white

INTENSIVE NATURAL OILED PRO CARE PLUS - STEAMED



Possible options of Spruce Aged white

PRO

SURFACE TEXTURE & FINISH intensive natural oiled pro care plus

GRADING Multi-strip basic

FORMAT classic: 15 x 192 x 2400mm

PROFILE tongue & groove (lock-it on request)





Spruce Aged Natura

BRUSHED NATURAL OILED EASY CARE - STEAMED



• Possible options of Spruce Aged Natura

SURFACE TEXTURE & FINISH brushed natural oiled easy care

GRADING Multi-strip basic

FORMAT classic: 15 x 192 x 2400mm

PROFILE

tongue & groove (lock-it on request)

Spruce Aged

INTENSIVE NATURAL OILED PRO CARE PLUS - STEAMED



Possible options of Spruce Aged

SURFACE TEXTURE & FINISH

brushed natural oiled easy care strongly brushed natural oiled pro care plus autentico strongly brushed natural oiled pro care plus intensive natural oiled pro care plus






tongue & groove (lock-it on request

classic: 15 x 192 x 2400mm

GRADING Multi-strip basic

FORMAT

PROFILE



Pine

SANDED NATURAL OILED EASY CARE



Possible options of Pine

SURFACE TEXTURE & FINISH sanded natural oiled easy care

GRADING basic


FORMAT classic: 15 x 161 x 1850/2000/2400mm

PROFILE

lock-it / tongue & groove

Stone Pine white

BRUSHED NATURAL OILED PRO CARE



Possible options of Stone Pine white

PRO

SURFACE TEXTURE & FINISH brushed natural oiled pro care

GRADING


basic

FORMAT classic: 15 x 158/192 x 1850/2000/2400mm

PROFILE

tongue & groove





Stone Pine

BRUSHED NATURAL OILED PRO CARE



• Possible options of Stone Pine

SURFACE TEXTURE & FINISH brushed natural oiled pro care

GRADING basic

FORMAT classic: 15 x 158/192 x 1850/2000/2400mm

PROFILE tongue & groove PRO

Reclaimed Wood Spruce/Fir/Pine

BRUSHED NATURAL OILED PRO CARE



Possible options of Reclaimed Wood

PRO

SURFACE TEXTURE & FINISH brushed natural oiled pro care

GRADING Multi-strip rustic

FORMAT classic: 15 x 192/240 x 1850/2000/2400mm





Reclaimed Wood extreme

BRUSHED NATURAL OILED PRO CARE



Possible options of Reclaimed Wood extreme

SURFACE TEXTURE & FINISH brushed natural oiled pro care

GRADING Multi-strip rustic

FORMAT classic: 15 x 192/240 x 1850/2000/2400mm

PROFILE tongue & groove PRO

Core Ash Natura

BRUSHED NATURAL OILED EASY CARE



Possible options of Core Ash Natura

SURFACE TEXTURE & FINISH brushed natural oiled easy care

GRADING


basic


FORMAT

small: 10 x 120 x 1200mm classic: 15 x 158/192 x 2000/2400mm

PROFILE

lock-it / tongue & groove





Core Ash Sepia

BRUSHED NATURAL OILED EASY CARE



Possible options of Core Ash Sepia

SURFACE TEXTURE & FINISH brushed natural oiled easy care

GRADING

basic

FORMAT

small: 10 x 120 x 1200mm classic: 15 x 158/192 x 2000/2400mm

PROFILE

lock-it / tongue & groove

Ash Natura

BRUSHED NATURAL OILED EASY CARE



Possible options of Ash Natura

SURFACE TEXTURE & FINISH brushed natural oiled easy care GRADING

noblesse

FORMAT classic: 15 x 158/192 x 2000/2400mm

PROFILE lock-it / tongue & groove



PRIVATE HOME, AUSTRIA







Ash

BRUSHED NATURAL OILED EASY CARE





Possible options of Ash

SURFACE TEXTURE & FINISH brushed natural oiled easy care

GRADING noblesse

FORMAT classic: 15 x 158/192 x 2000/2400mm

PROFILE lock-it / tongue & groove



Multibond Ash white

BRUSHED NATURAL OILED EASY CARE



Possible options of Ash white

SURFACE TEXTURE & FINISH brushed natural oiled easy care

GRADING

sanded matt lacquer


Multibond

FORMAT

classic: 10 x 130 x 1200mm (tongue & groove) classic: 15 x 195 x 2400mm (lock-it / tongue & groove)

PROFILE lock-it / tongue & groove









Multibond Ash

BRUSHED NATURAL OILED EASY CARE



• Possible options of Ash

SURFACE TEXTURE & FINISH

brushed natural oiled easy care sanded matt lacquer

GRADING Multibond

FORMAT

classic: 10 x 130 x 1200mm (tongue & groove) classic: 15 x 195 x 2400mm (lock-it or tongue & groove)

PROFILE

lock-it / tongue & groove



Ash medium

BRUSHED NATURAL OILED EASY CARE - THERMO-TREATED



Possible options of Ash medium


SURFACE TEXTURE & FINISH brushed natural oiled easy care



GRADING

noblesse

FORMAT classic: 15 x 188 x 2000mm





Ash medium Cognac

ANTICO NATURAL OILED PRO CARE - THERMO-TREATED



Possible options of Ash medium Cognac

SURFACE TEXTURE & FINISH

brushed natural oiled easy care antico natural oiled pro care

GRADING noblesse

FORMAT classic: 15 x 188 x 2000mm

Ash medium Marrone

ANTICO NATURAL OILED PRO CARE - THERMO-TREATED



Possible options of Ash medium Marrone

SURFACE TEXTURE & FINISH

brushed natural oiled easy care antico natural oiled pro care



noblesse

FORMAT

classic: 15 x 188 x 2000mm





Ash grey

ANTICO NATURAL OILED PRO CARE



Possible options of Ash grey

SURFACE TEXTURE & FINISH brushed natural oiled easy care antico natural oiled pro care

GRADING noblesse

project by Beschneider + Berscl

FORMAT classic: 15 x 158/192 x 2000/2400mm

PROFILE tongue & groove

















1 SANDED

For many years this has been a standard finish of wide plank wood floors. A totally smooth surface is achieved by uniform sanding of the wood.

2 BRUSHED

Wood invites you to touch it and to experience it with all your senses. The soft parts of the wood are brushed out of the floorboard. This creates a beautiful texture with a surface that is more durable.

3 SCRAPED

Scraped and gently brushed lengthways highlights the rich, organic texture within the wood grain. In this way the natural beauty of the wood comes into its own. (Available in Larch natural)

4 ANTICO (only possible with Pro Care finish)

Using a variety of finishing steps such as strong texturing and 3D brushing as well as a V-joint, these floors are made to look old-fashioned. (Available in Larch Grigio, Ash Cognac/Marrone/grey)

5 AUTENTICO BRUSHED (only possible with Pro Care finish)

The grooves and small curvatures around the knotholes create an authentic design that cannot be improved on. Here nature indicates the direction. (Available in Larch natural)

6 STRONGLY BRUSHED (only possible with Pro Care plus finish)

With this particularly strong brushing, you can not only clearly see the grain, you can also feel it. (Available in Spruce Alba/white/natural, Spruce aged natural)

7 AUTENTICO STRONGLY BRUSHED (only poss. with Pro Care plus)

The strong brushing reinforces the indentations in this structure and gives the planks a special character. (Available in Spruce Alba/white/natur, Spruce aged natural)


8 INTENSIVE (only possible with Pro Care plus finish)

This structure is not only particularly expressive, the embossing also gives the floor up to +25% higher indentation resistance (hardness) compared to a sanded surface. (Available in Spruce white, Spruce aged white/natur, Larch aged white/natural)

TEXTURES

Skin on wood – an inherent yearning that we all carry within us. TOUCH AND FEEL NATURE with your feet or hands. At Admonter, we love wood and emphasise its innate characteristics, unlocking it so that nature becomes tangible to us in our quest to understand it. Different textures invite you to touch – depending on what you like. BRUSHING and SCRAPING create a sensual experience. We reinforce that with excellent CRAFTSMANSHIP and decades of EXPERIENCE. For us, every groove and every grain manifest the uniqueness and the desire to touch.

> SANDED – BRUSHED – SCRAPED – ANTICO – AUTENTICO BRUSHED NEW: STRONGLY BRUSHED – AUTENTICO STRONGLY BRUSHED – INTENSIVE



Grading description

SOFTWOOD





HARDWOOD





BASIC

- » Vivid, knotty appearance
- $\, {\rm \! > \! }\,$ Black knots, resin pockets and small shakes are possible
- » Contrasting colour variation and grain patterns are a valued feature
- » Knotholes and shakes are professionally filled

NATURELLE

- » Rustic grading, surface full of natural character
- » Black knots, resin pockets, sapwood and shakes are possible
- » Colour and structural variations due to the grain patterns and the origin
- » Cracks and shakes are professionally filled
- » Shakes and not completely filled knots are typical for this knotty-rustic grade

NOBLESSE

- » Soft, structural appearance
- » In principle knotless (occasional pin knots possible)
- » No sapwood
- » Straight and wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » Basically no filled knots

BASIC

- » Knotty grading
- » No sapwood
- » Straight and wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » Ash with brown heart not continuous
- $\, {\rm \! * \! \! \! }\,$ Knotholes and shakes are professionally filled with a brown filler



01 LARCH ALBA | 02 LARCH WHITE | 03 MULTIBOND LARCH WHITE | 04 LARCH LYE-WASHED WHITE | 05 LARCH LYE-WASHED 06 LARCH NATURA | 07 LARCH | 08 MULTIBOND LARCH | 09 LARCH AGED WHITE | 10 LARCH AGED NATURA | 11 LARCH AGED | 12 LARCH DARK GRIGIO | 13 SPRUCE ALBA | 14 SPRUCE WHITE | 15 SPRUCE NATURA | 16 SPRUCE | 17 SPRUCE AGED WHITE | 18 SPRUCE AGED NATURA 19 SPRUCE AGED | 20 PINE | 21 STONE PINE WHITE | 22 STONE PINE | 23 RECLAIMED WOOD | 24 RECLAIMED WOOD EXTREME

HARDWOOD



01 CORE ASH NATURA | 02 CORE ASH SEPIA | 03 ASH NATURA | 04 ASH | 05 MULTIBOND ASH WHITE | 06 MULTIBOND ASH 07 ASH MEDIUM | 08 ASH MEDIUM COGNAC | 09 ASH MEDIUM MARRONE | 10 ASH GREY

When length does count

The wide plank floorboard is a sturdy slice of nature with great tradition and sometimes of quite considerable length. What nature provides us, we turn into floorboards of extravagant lengths. Sometimes even giant floorboards of up to 5 Metres long. As in old manor houses or dignified farmhouse parlours from our alpine regions. Times have changed, but our passion for noble and exclusive long floorboards has remained. And they fit in beautifully: then, as today.

SMALL - FORMAT

Small but mighty, our small formats conjure life into every room, available in **length** 1200 mm and in a width of 120 to 130 mm

CLASSIC - FORMAT


The essential Admonter floorboard classic in ${\rm lengths}~{\rm of}~1850~{\rm to}~2400~{\rm mm}$ and in a width of 158 to 240 mm


XXLONG - FORMAT


For large rooms and greater impact. Floorboard **lengths up to 4870 mm** and floorboard **widths up to 240 mm** unlock fantastic design options.

With Admonter floors a 3-layer timber construction prevents the natural warping of the wood. Top and bottom layers with the same thickness of at least approx. 3.6 mm keep the balance of the natural forces of the wood.

Furthermore, the transverse middle layer stabilizes the plank across the width. This results in a total thickness of approx. 15mm.








Corporate & product options and your benefits

Company



Parquet & natural wood floors

Numerous wood species	Textures and colours	Different formats	Combinable widths
Individual colours	Diverse constructions available For every application	Valuable wood construction	30 years warranty Safety when buying



Surface finishes – Floors

EASY-CARE

EC

PC+

PC

ML

READY-TO-USE, OILED FINISH - NO INITIAL OIL TREATMENT REQUIRED!

ALL EASY-CARE textures are always delivered FINISHED and therefore have a very high resistance to soiling at the factory. The mechanical load-bearing capacity is regularly tested in-house, which ensures that it is suitable for use on buildings. The EASY-CARE texture includes high process reliability and color constancy and has a high mechanical load capacity. NO initial maintenance required, ongoing maintenance MUST be carried out according to the use! The easy care natural oil consists of sustainable raw materials. The oils used for the Easy Care Texture are natural oils in accordance with ÖNORM C 2380: 2008, point 4.

PRO-CARE PLUS

READY-TO-USE, NATURAL OILED FINISH - NO INITIAL OIL TREATMENT REQUIRED!

All Pro Care Plus Floors are hardened by oxidation & additionally factory-maintained. NO initial maintenance required. Through regular care with Admonter Clean & Care, as well as with Admonter Maintenance oil, a natural patina is formed, which ensures good resistance.For heavily used areas (e.g. kitchen, bathroom, anterooms,...) we recommend initial maintenance after installation.

PRO-CARE

PRE-OILED AT THE FACTORY - INITIAL CARE MANDATORY (PC)

Natural Oiled Pro Care floors require a post-installation coat of oil before they can be used. Hardening by oxidation. Through regular care with Admonter Clean & Care, as well as with Admonter Maintenance oil, a natural patina is formed, which ensures good resistance.

MATT LACOUER

Due to the lacquered surface, the planks appear gently matt. The application of matt lacquer will completely seal the surface and pores of the wood. This finish is very durable and absolutely uncomplicated in care and maintenance.

All Admonter floors are a natural product and will over time change colour. Depending on the amount of exposure your floor has to sunlight, lighter timber will turn darker and darker timber will become lighter. This change is most pronounced in the first 3-6 months. Depending on the respective surface treatment (e.g. easy care, matt lacquered, pro care) there may be deviations in color and appearance. -> DOP and standard fire behaviour classifications not valid with regards to raw surfaces.

Admonter cleaning and care products


NATURE PRO CARE WHITE GREY BROWN

PRO CARE WHITE

FOR MAINTENANCE CARE

For details on installation, cleaning and care, please refer to the installation and care instructions at admonter.com/en/downloads

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com





Wooden floors Larch

Room concepts made of natural wood for floors, walls & ceilings

Values

We have been dealing with wood in this region for almost 1,000 YEARS. Its eternal beauty and originality have inspired our craft ever since. It is important to us that we source our wood exclusively from SUS-TAINABLY

managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with. For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

... all from a single souce.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements. Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

... design with wood.

Admonter offers everything – both inside and outside the mainstream. Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

... multilayered texture.

This makes all Admonter products so stable and resistant to warping.

... ora et labora et lege.

Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

... naturalness and sustainability.

All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

... team.

In Admont, around 300 people work daily to make the most out of the wood as raw material and so create the Admonter products in the quality that they are known for internationally.

... earnest.

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the oraft and attention to detail.

... regionality.

An Admonter product is 100% produced in Admont. Only in Admont. Period.

NO OTHER WOOD IS LIKE LARCH.

Living is more than just sleeping, eating and having a roof over our heads.

Our homes should both be a pleasant, comforting nest and a reflection of ourselves.

Home is where the wood is. Where I can relax, recover and recharge my energy. I want to surround myself with beauty and warmth. To just be. To do something good for myself. Larch offers all this. A wood that has more to offer than all others and hard to beat when it comes to natural beauty and wellbeing.

As an alpine conifer the larch knows how to assert itself and exist at high altitudes and in an extreme environment.

It embodies strength, resilience and health. Whoever welcomes the larch into their own four walls, not only gets a piece of furniture or a floor or wall panelling. Its positive effect on our health is undisputed. The larch succeeds in enveloping everything around it in an atmosphere of wellbeing and warmth.

Floors



Elements



Acoustics



Trees of Life. Dreams of Life.



LARCH – ALPINE BEAUTY OR **POWERFUL** SOURCE OF WARMTH.

Barely any other wood is as unique and individual as the local mountain larch. Its branches and grain combine in an artful composition, in a way only possible by nature.

We appreciate its natural beauty and warmth. Not only does it visually invite us to touch and linger, but it also shares its warmth with us. In a study by Holzforschung

Austria,

Larch with a natural oil finish proved itself as the warmest underfoot wood species.

It also has active antiseptic and antibacterial qualities. In ancient times, and in spiritual circles, Larch was considered the home of forest Fairies, sympathetic to people and as a guardian tree due to its resilience.

What type of wood could be more appropriate to surround yourself with?





WE MAKE IT LASTING COMMITMENT.

AN ADMONTER PRODUCT NOT ONLY UNDERGOES NUMEROUS IN-HOUSE **QUALITY CHECKS** BEFORE IT FINDS ITS NEW HOME, BUT THE QUALITY AND **ENVIRONMENTAL** ORIGIN OF EVERY ADMONTER PRODUCT IS ALSO TESTED BY OFFICIAL TESTING AND CERTIFICATION BODIES.



Ecologically harmless. Living in a pleasant environment revitalises the senses - in every respect: The Austrian Eco-label awarded by the Federal Ministry of Agriculture, Forestry, Environment and Water Management (BMLFUW), guarantees the health and environmental safety of our products.



For nature's sake. For the production of Admonter products, we only use timber from sustainable forest cultivation which protects a variety of species of animals and plant life and the preservation of a natural environment with high recreational value.



si-vely from forests where sustainable forestry is practised. enabling building certification and life cycle assessment (LCA). and energy consumption into account.



material or manufacturing defects.

- EPD ecological footprint. The wood used to manufacture an Admonter product comes exclu-
- It guarantees the conservation of the biodiversity of the fauna and flora and the preservation of the natural environment with high recreational value. With the Environmental Product Declaration (EPD), information is provided on the environmental impact of individual products or materials, thus
- In addition to the raw materials and their origin, the manufacturing process of the product is also described in the EPD - from the use of the raw materials to the factory gate, taking the resource
- Austrian production. We, at Admonter, take our responsibility seriously.
- In order to guarantee the high standards of our products and to protect jobs locally, we exclusively produce our products in Austria and will continue to do so in the future.

30 year warranty. Admonter grants a 30 year warranty on our products. Guarenteed against any




LARCH NATURAL

Larch adds warmth and comfort to reduced design, losing its rusticity through the clarity of its forms. A perfect symbiosis.







LARCH WHITE








LARCH WHITE

Naturalness and warmth combine in its animated beauty to make larch the veritable wellness wood.












LARCH ALBA


An elegant classic: Exclusive charm and cozy comfort – unique to Larch.

















Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com





Wooden panels Elements

Room concepts made of natural WOOd for floors, walls & ceilings

Values that matter most

We have been dealing with wood in this region for almost 1,000 Years. Its eternal beauty and originality have inspired our craft ever since. It is important to us that we source our wood exclusively from SUSTAINABLY managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with. For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

ALL FROM A SINGLE SOURCE. Room concepts using wood on floors, walls & ceilings. Our floors, walls, ceilings, stairs, doors and even acoustic solutions match perfectly, to create beautiful living spaces.

DESIGN WITH WOOD. At Admonter, wood comes in all shapes and colours, whether short or long, narrow or wide, laid in rows or creative patterns. Individuality is very important to us.

MASTER CRAFTMANSHIP. To have the name Admonter you must bear all traces of the most loving craftmanship and processing. With Admonter, wood is brought back to life.

ORIGINAL. Nature provides the unique individuality, no piece is like the other. Our unique designers are called larch, oak, walnut and many more.

NATURALNESS AND SUSTAINABILITY. All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers when it comes to climate and environmental protection.

TEAM. In Admont, around 300 people work every day to make the most out of the wood as raw material and so create the Admonter products in the quality that is appreciated internationally.

ENHANCEMENTS. Nature itself has to constantly reinvent and develop. The same applies to us and our products.

REGIONALITY. An Admonter product is 100% produced in Admont. Today and also in future.



ALL WOOD USED FOR THE PANELS IS DESIGNED BY NATURE. NATURALLY GROWN AND INDIVIDUAL.



NATURAL WOOD PANEL - RECLAIMED WOOD



RAFTERS & PLANKS - RECL. WOOD

1111

NATURAL WOOD PANEL - HARDWOOD



FUR FURNITURE PANEL - HARDWOOD



WOODEN PANELS - SOFTWOOD



FEATURE - BENEFIT ADVANTAGES - WOODEN PANELS ELEMENTS

FEATURES WOODEN PANELS ELEMENTS	BENEFIT	
Standard width 2030 mm for ALL ELEMENTs	Simple stock-keeping (no short lengths: e.g. reclaimed wood) Calcu- lation of offcuts / less articles by product group -> more comprehensive	
Choice of countless wood species – in particular reclaimed wood		
Different texture options and colours	Wide range of options for customized products, tailored to customer benefits / requirements. The right surface for every customer and area of application / living situation.	
Also available for sauna use		
A wide range of construction variants, for example furniture panel	The right product for every application.	
Service programme – cutting to size and simple edge processing and mil- ling work, as well as surface treatment and application of different textures	Capacity balancing in the event of overload of the processor's pro- duction / possibility to buy ready-to-assemble furniture parts	

All Admonter products with prices can be found in the current price list.

MIDDLE LAYER

SOFTWOOD WITH SOFTWOOD-CORE



HARDWOOD WITH HARDWOOD-CORE



HARDWOOD WITH SOFTWOOD-CORE



FURNITURE PANEL WITH 3-LAYER-CORE




FURNITURE PANEL WITH 5-LAYER-CORE









NATURAL WOOD PANEL A DESIGN FEATURE

Whether you want a perfect match between Admonter FLOORs and ELEMENTs or you are entering new design territory: Admonter natural panels comply with extraordinary design ideas. Experience diverse formats and exceptional haptics.











ELEMENTs


Natural wood panels Reclaimed Wood hacked H3 Weiler Möbel Vorarlberg Austria

MENU Feinstes Tischler Haudwerk serviert auf kreativer Planung

ELEMENTS IN NATURAL WOOD ARE AUTHENTIC!

A natural wood panel offers more options than a basic panel or cladding. This lets you give full rein to your creativity in all manner of different situations. Just the basic material itself guarantees a timeless quality for any design.











OUR DESIGN SECRET: H2- PANELS PRODUCED FROM INDIVIDUALLY HACKED TOP LAYERS H3 - PANELS PRODUCED FROM ORIGINALLY HACKED BEAMS H4 - PANELS PRODUCED FROM ORIGINALLY HACKED LIGHT BEAMS






ELEMENTs

Furniture Panel Oak Private Project Germany

© Berschneider + Berschneider

ADMONTER ELEMENTS FURNITURE-PLATES INVITE TO TOUCH.



A PIECE OF NATURE -COUNTLESS POSSIBILITIES

Admonter ELEMENTS are not only available in different hard and softwood species and countless colour variations, but they are also available with different surface finishes, core structures, sizes and grades.

A noble table, a rustic chest, a luxurious yet quaint sauna or an extravagant sideboard – Admonter ELEMENTS give shape to DESIGN DREAMS.



ELEMENTs

Natural wood panels Walnut Asia SPA Linsberg Austria





SIMPLY PRACTICAL

The highlight of our oak furniture board is the multilayered middle layer. It consists of 3 or 5 finger-jointed hardwood slats glued in parallel. The visible edge is therefore finished and a banding is not necessary.

Different structural finishes such as scraping, brushing or heavy brushing are possible. For the surface colours, oils or matt lacquer can be applied.

ELEMENTs

Furniture Panel Oak Private House Germany

SURFACE FINISH

When applying oil, matt lacquer, etc. on the untreated surface, colour will change depending on the treatment.








Furniture Panel Oak Private House Germany

> The feature: middle layer of 3 or 5 finger-jointed hardwood slats glued in parallel


SERVICES

Simple CNC machining like hole milling (round or squared) possible on request! Milling and miter cuts as well as angle cuts and cuts are possible on demand. Order sheet and cutting forms are available under admonter.com/downloads

WALL & CEILING ELEMENTS - GALLERIA



WALL & CEILING ELEMENTS - CUBE



AVAILABLE COLOURS WALL & CEILING ELEMENTS

21 D

C

10

ELEMENTs

200

5

Wall element Cube | Stone pine Admonter Showroom Austria

Textures **ELEMENTs**















The softer parts of the wood are brushed and the intensity of the brushing is varied to be sometimes more and sometimes less.

Strong brushing along and across the grain makes cross-textured floors an exceptionally resilient companion full of character for lovers of strong textures

Scraping the NATURAL SURFACE creates an individual but natural look in which all IRREGULARITY is deliberately highlighted.

Depending on the play of light, the strong brushing treatment lets the form of the texture shine through more or less discreetly.

Combining scraping with strong brushing across the fibres that loves to be explored by hands and feet.

Surface treatment through scraping creates a very individual and natural look that has its very own character.

The surface has the typical marks left by tools, as if it had been cut by hand. This unique look conveys a warm ambience and matches classically traditional elements as well as modern ones.

As standard, Admonter ELEMENTs natural wood panels are delivered as "sanded" and untreated. Textures as shown above are available.

TEXTURES

So diverse and at the same time unique as nature itself.



ELEMENTs

mounnering

行

24

in the ast

1

Freehennin

TRACT

Marrie I.

TH

1

DARKALL SETTIF

i neda

hum

Collins have

105

1

13

A. A. SALE

ANY WHE

Wall element Cube Reclaimed Wood sunbaked Hotel Gmachl Salzburg Austria

enussdorf Gmachl



ELEMENTS

Natural wood panels Reclaimed Wood sunbaked Hotel Aquamarin Austria



ELEMENTs

Natural wood panels Reclaimed Wood Spruce Großarlerhof Austria

n

2

ELEMENTs

建心

0

Natural wood panels Stone Pine aged Oak rustic Admonter Showroom Austria



Natural wood and design are a beautiful couple. If they meet in a room a special flair is the result.

Man_



1. 10



ELEMENTS

Natural wood panels Reclaimed Wood extreme Admonter Meetingroom Austria

WOODEN PANELS FOR SAUNA AREA



The price for each product can be found in our pricelist.

JUST ONE FROM MANY POSSIBLE APPLICATIONS OF ADMONTER WOODEN PANELS ELEMENTS. BUT THIS IS ONE THAT IS PREDESTINED FOR IT. SELECT FROM PARTICULAR ATMOSPHERIC WOODS LIKE SPRUCE, STONE PINE OR RECLAIMED WOOD

PANELS FOR SAUNA USE

The connection of Natural wood and design just looks sweaty good.

More information about the according to ÖNORM M 6219-1 specially tested natural wood panels for use in saunas can be found under admonter.com



Formaldehyde-free gluing All Admonter ELEMENTs meet the requirements of the most stringent European formaldehyde class E1, determined in accordance with EN717, with the Admonter specifications well below the permissible levels. We only use the most modern gluing systems to ensure that non-wood formaldehyde in Admonter ELEMENTs is undetectable.



SENTINEL HAUS INSTITUT

Building directory of healthier buildings Many Admonter products are rated by the Sentinel House Institute and approved for use in "healthier buildings". In doing so, emphasis is placed on the lowest possible indoor air emissions.

ECOLOGICAL RESPONSIBILITY

Natural raw materials and sustainability are prerequisites for Admonter and at the same time one of our highest values.

Set true to the motto "Values that matter most" we rely on wood from forests with sustainable forestry. Because we at Admonter firmly believe that only a careful treatment of nature brings out the best for people.

The forest is not just the playground for BIODIVERSITY, it is above all the cradle of sustainability. Anyone who works with wood as a raw material is always aware of this. As we learn from lessons of the past, we develop a greater RESPECT for nature as we look towards the future. Not only does QUALITY of product become a priority but so too does the PROTECTION of our environment and climate. Our efforts in this respect have not gone unnoticed.

Admonter is the first Austrian natural flooring manufacturer to receive the AUSTRIAN ECO-LABEL. We are immensely proud of this and we intend to build on it. Because wood is part of a good and responsible life.

Let's all make sure it stays that way.



PEFC (SUSTAINABLE FORESTRY)

The independent control of our entire production chain – from the forest to the final product, guarantees the seamless traceability of the flow of wood along the entire journey, taking into account the economic, ecological and social aspects of production. The abundant forests that surround Admont and many parts of Austria means our raw materials have a short delivery route to production at Admonter.



EPD - ECOLOGICAL FOOTPRINT

EPD - Environmental Product Declaration - ECOLOGICAL FOOTPRINT

An EPD is a neutral instrument for communicating the environmental properties of products - from independent body and according to uniform rules checked. The ISO 14 040 and ISO 14 044.14 series of standards regulate the implementation of a life cycle assessment. When preparing a life cycle assessment, the various life stages of the product or process to be examined are examined for their environmental relevance.



CE MARKING

Admonter ELEMENTs are manufactured in accordance with EN 13353 norm. The CE marking is in accordance with EN 13986 or EN 14915. The declaration of conformity and the detailed accompanying information can be found at admonter.com

CE

Ecologically harmless

Products labeled with the eco label for indoor use show little or no pollution and thus make an important contribution to Indoor air quality.

Admonter was the first Austrian parquet manufacturer to award the austrian ecolabel.

OUR PROMISE

All Admonter products are 100% produced in Admont, Austria.

We keep this promise, now and in the future.

Since 1074

SINCE 18

15 PE

Since 1074 in and around Admont wood is being industrially processed . It used to be the monks who guarded the knowledge of wood. Today it is our employees who ensure the continuation of this tradition and add this uniqe experience as a bonus to the various products.

100%

DIGITAL CONCEPTS

AKTIV VARIANTE A

Design your home new. With the digital services there are no limits to create and design new spaces or whole interior design concepts.

3D virtual Showroom tour
3D virtual production tour
3D virtual tour to apprentice workspaces

www.admonter.com

Digital World



SHOWROOM FINDER ROOM PICTURES 団 え 三

¥ ≪ ≪

«

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com





Hotels like home





ADMONTER - ALL FROM A SINGLE SOURCE THE COMPLETE RANGE OF WOOD **PRODUCTS** FOR INTERIOR USE.

Parquet & natural wood floors

Regardless of how you want to live, what ambience you are planning, cosy or with strong design features, natural wood always adds atmosphere to the floor. And the reverse also applies.

Natural wood stairs

Admonter offers solutions for staircases to match any floor product. Whichever option you choose from the floors ran-ge, stairs will take you to the next level.

Natural wood panels

Architects and furniture makers clearly find our natural wood panels inspiring. By bringing rooms to life, our natural wood panels have earned a name for themselves.

Natural wood doors

Enter special living spaces through Admonter natural wood doors. The doors come in the FLOORs and ELE-MENTs design.

Natural wood acoustic boards

Admonter acoustic elements open up new possibilities for acoustic and visual interior design. These elements are ideal for new construction, as well as renovation.

Admonter is a company that offers the complete range of wood products for interior use. Everything from sustainable wood, refined in exclusive design and manufactured according to individual wishes, we find tailor-made solutions for your project. From the floor, over the walls, ceilings, stairs, acoustic elements to high-qua-lity doors, everything is possible. Perfectly coordinated and al-ways unmistakable and unique.

Natural wood stairs

Natural wood doors

2

Natural wood acoustic boards

Natural wood panels Elements

Parquet & natural wood floors Floors

Values

Floor, ceiling, wall, stairs, furniture, door and acoustic elements.Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

M... MULTILAYERED STRUCTURE This makes all Admonter products so stable and resistant to warping.

A... ALL FROM A SINGLE SOURCE

0... ORA ET LABORA ET LEGE.

Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

N... NATURALNESS AND SUSTAINABILITY

All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

T... TEAM

In Admont, around 300 people work daily to make the most out of the wood as raw material and to create the Admonter products in the quality that they are known for internationally.

E... EARNEST

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

R... REGIONALITY

An Admonter product is 100 % produced in Admont. Only in Admont.



Natural wood panels Elements


RECLAIMED WOOD ALDER GREY

Hotel Rita Austria










WHETHER TRADITIONAL AND ALPINE, DIGNIFIED AND VENERABLE OR MODERN AND

COMFORTABLE




Natural wood panels Elements

RECLAIMED WOOD HACKED

Hotel Falkensteiner Schladming, Austria

LARCH BASIC

Holzhotel Forsthofalm Austria





Parquet & natural wood floors Floors

LARCH NATURELLE

UNYKAT.

0

Hotel Bichlhof Kitzbühel, Austria






OAK LAPIS

Genussdorf Gmachl Austria Foto: ©guenterstandl.de









Natural wood panels Elements

CUBE RECLAIMED WOOD ALDER GREY


Genussdorf Gmachl Austria Foto: ©guenterstandl.de


> Natural wood acoustic boards Acoustics

> > OAK LAPIS

Genussdorf Gmachl Austria Foto: ©guenterstandl.de








Natural wood panels Elements

OAK STONE






Natural wood panels Elements

OAK RUSTIC

Contra 1

Hotel Die Alpbacherin Tirol, Austria



Parquet & natural wood floors Floors

LARCH RUSTIC


Die Berge Lifestyle Hotel Austria

OAK STONE

Naturhotel Edelweiss Wagrain, Austria








Natural wood panels Elements

LARCH

Hotel Ellmau Lodge Austria









OAK LAPIS OAK WHITE

Hotel Graseck Germany








1

Siller St.



Natural wood panels Elements


RECLAIMED WOOD HACKED

Restaurant Ellmau Lodge Tirol, Austria





503





OAK SALIS RUSTIC

Luxusapartments Vorarlberg








OVERVIEW OF COLORS

NATURAL WOOD FLOORS - OAK



Not all oak is the same. The breadth of nuances and the moods they create never cease to amaze. That's why this type of wood is so popular.

NATURAL WOOD FLOORS - HARDWOOD



Because living and furnishing is all about individuality, we offer a wide range of different hardwoods. A beautiful forest of possibilities for personal design.

MULTIBOND



The Multibond not only impresses with its lively appearance, but also with its unique dimensions and plank lengths: from 1200 to 2400mm or strips from 200 to 1000mm in length

NATURAL WOOD FLOORS - SOFTWOOD



SELECTION OF FORMATS

- SMALL: Lengths ranging from 590 to 1.200 mm. Suited for herringbone patterns or small rooms to great effect.
- 2 CLASSIC: Classic lengths of Admonter planks range from to 2.400 mm.
- LONG: Big in size and impressive. Available in 280 x 2.800 mm. 3
- 4 XXLONG: The length of these planks are up to 5.000 mm giving extra character to big rooms. Up to 8.000 mm available on request.

NATURAL WOOD DOORS

The designs from our floor and Elements categories are also available in new high-guality natural wood doors. They are custom made to the desired style with the loving workmanship and quality that is associated with the Admonter name and furnished with high quality fittings.



appearance and feel - it has been proven that naturally oiled



OVERVIEW OF COLORS

NATURAL WOOD PANELS - RECLAIMED WOOD



Natural wood panels from Admonter are a real inspiration - for architects as well as furniture constructors. No wonder. After all, they can do so much more than just enhance walls.

NATURAL WOOD PANELS - HARDWOOD



A natural wood panel can be used for more than just a panel or facing. Creativity can be taken to the extreme in many different ways. Yet always 100% authentic.

NATURAL WOOD PANELS - SOFTWOOD



Particularly valuable rating.Natural wood panels made of larch, fir, spruce and stone pine open up completely new possibilities.

FURNITURE PANELS





Admonter acoustic panels absorb up to 100% of the occurring sound and meet therefore the high requirements for visual and functional room design.

NATURAL WOOD ACOUSTIC BOARDS DOT



The right choice for the best acoustics. Hole geometry consisting of different diameters.

NATURAL WOOD ACOUSTIC BOARDS LINEAR



The variant with a homogeneous core impresses with its linear appearance and solid wood structure with outstanding linear acoustic absorption behavior.

NATURAL WOOD ACOUSTIC BOARDS GEO



Competently. Accented. The eye only sees part of it, you see the rest with your ears!

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com





0

Sales promotion

Room concepts made of natural wood for floors, walls & ceilings



Values

We have been dealing with wood in this region for almost 1,000 YEARS. Its eternal beauty and originality have inspired our craft ever since.

It is important to us that we source our wood exclusively from SUSTAINABLY managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with.

For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

A... ALL FROM A SINGLE SOUCE.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements. Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

D... DESIGN WITH WOOD.

Admonter offers everything - both inside and outside the mainstream. Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

M... MULTILAYERED TEXTURE. This makes all Admonter products so stable and resistant to warping.

0.... ORA ET LABORA ET LEGE. Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

N... NATURALNESS AND SUSTAINABILITY. All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

T... TEAM.

In Admont, around 300 people work daily to make the most out of the wood as raw material and so create the Admonter products in the quality that they are known for internationally.

E... EARNEST.

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

R... REGIONALITY.

An Admonter product is 100% produced in Admont. Only in Admont. Period.



ADMONTER PREMIUM SHOWROOM



What distinguishes an Admonter Premium Showroom:

- Living and conveying the Admonter values
- Presentation of the Admonter brand (brand DNA, customer events)
- Presentation and sales consulting includes all product groups

Wooden floors	Wooden panels	Wooden acoustic panels	Wooden stairs	Wooden doors
Floors	Elements	Acoustics	Stairs	Doors

- Exclusive presentation of the brands Admonter and Ondo
- All services (installation, maintenance & care) are offered
- Active sale (all customers)
- CRM and after-sales in cooperation with Admonter •
- Participation in ongoing trainings
- Access for all sales employees of Admonter
- Use of innovations in the field of digital sales support (360° VR, virtual living worlds)



ADMONTER SHOWROOM

What distinguishes an Admonter Showroom:

- Presentation of the Admonter brand (brand DNA) •
- Presentation and sales consulting includes wooden floors & acoustic panels • as well as another freely selectable product group. These must be made spatially tangible in the showroom and presented separately from other brands and products.
- All services (installation, maintenance & care) are offered
- Use of innovations in the field of digital sales support •
- (360° VR, virtual living worlds) •

ADMONTER BRAND PRESENTATION

What characterizes an Admonter brand presentation:

- Presentation of the brand Admonter (Trademark DNA)
- Presentation and advice includes • as well as another freely selectable product group.

SHOWROOMS ONLINE

On the Admonter website, customers can find the fastest route to their nearest Admonter partner, simply by geotracking or entering the place of residence.

In addition to the address and the route to the dealer, the customers will be shown the available product groups as well as the converted showroom concept.

For privacy reasons, partners wishing to be listed on the website should complete the consent form on page 19 and send it to us.











SAMPLE PROGRAMME

6



SAMPLE PROGRAMME - EXHIBITION

	Item No.	Product	Description		Price €	TO ORDER	
	118270	Drawer unit small	Please get in touch with Number of sample plate	nt: 1200 mm, Depth: 655 mm			
	113006 124499	Sample board Sample b. incl. sliding bars		an be pulled out and removed wided with a BLUMOTION mat: 942 x 605 mm			
	118271	Drawer unit large	Please get in touch v Number of sample pl Width: 1980 mm, He	ur individual exhibition planning! vith your Admonter contact! ates: 9 ight: 1200 mm, Depth: 665 (+ Packaging: 116 kg)			
	113007	Sample board		an be pulled out and removed			
	124498	Sample board incl. sliding	individually and is provided with a BLUMOTION damping system. Format: 1914 x 605 mm				
ondo	112979	ONDO display unit including 9 samble boards	Height: 2060mm Width: 700mm Depth: 1338mm Dimension sample board: 950 x 530mm				
	125982	Admonter display unit including 9 sample boards	Height: 2060mm Width: 700mm Depth: 1338mm Dimension sample bo Sample board provid	oard: 950 x 530 mm ed with edging all around			
	130479	Admonter Multibond display unit including 9 sample boards	Height: 2060mm Width: 700mm Depth: 1338mm Dimension sample bo Sample board provid	pard: 950 x 530 mm ed with edging all around			
	131163	Admonter Heritage Collecti- on display unit 1 including 9 sample boards	Height: 2060 mm Width: 700 mm Depth: 1338 mm	Spruce Alba br., Spruce bianco strongly br., Spruce multi-strip white intensive, Spruce aged multi-strip natura geb., Spruce multi-strip autentico., Larch aged multi-strip white intensive, Ash grey brushed, Ash medium brushed, Core Ash Sepia brushed			
	131363	131363 on display unit 2 Sample board provi	board: 950 x 530 mm, Sample board provided	Spruce autentico, Spruce natura br., Spruce multi-strip strongly br., Spruce aged mul- ti-strip white intensive, Larch scraped, Larch aged multi-strip intensive, Ash natura br., Ash Marrone brushed, Ash Cognac brushed			
	123143	Moss wall: Real preserved forest moss with 3D upholstery moss 2 elements of 1000 x 1000 mm, provided loose for customer lateral wall mounting	Admonter Logo: Acn Individual letters lase	/Iglas digital printed and r cut 1500 x 245mm			
	123142	Moss wall: Real preserved forest moss with 3D upholstery moss 1 element of 1000 x 1000 mm, provided loose for customer lateral wall mounting	Admonter Logo: Acn Individual letters lase 800 x 133mm	/Iglas digital printed and r cu			

	ltem No.	Product	Description	Price €	ON STOCK	TO ORDER
All Annual All All All All All All All All All A	113011	Sample swatch Oak	Oak white, Oak stone, Oak natur, Oak Griseo, Oak grey, Oak Salis, Oak Lapis, Oak medium, Oak Mar- rone, Oak Seta Dimension: Height: approx. 40 cm Width: approx. 20 cm up to max. 195 mm Product-width			
Monter ()	113012	Sample swatch Larch	Larch Grigio, Larch Alba, Larch, Larch white, Larch aged, Larch aged natura, Larch lye washed white Larch scraped, Larch aged multi strip intensive, Larch aged multi strip intensive white, Dimension: Height: approx. 40 cm, Width: approx. 20 cm up to max. 195 mm Product-width			
Minute	113013	Sample swatch Ondo	Oak Frosti, Oak Frijo, Oak Kari, Oak Joris, Oak Jesper, Oak Kimi, Oak Sanjo Dimension: Height: approx. 40 cm Width: approx. 20 cm			
Manner A	130439	Sample swatch Multibond	Oak sanded matt lacquer, Oak brushed, Oak stone brus- hed, Oak white brushed, Ash sanded matt lacquer, Ash white brushed, Larch brushed, Larch white brushed			
1014 - C	116085	Sample board Wooden Floors small	approx. 530 x 950 mm			
	116086	Sample board Wooden Floors gross	approx. 530 x 1950 mm Admonter sample boards are provided with edging			
		with milled label	all around.			
	114185	Full board Handsized sample Wooden Floors	from list, Standard length: classic Max. length by mailing 1680 mm			
	114198	Handsized sample Wooden panels	approx. 210 x 297 mm			
	131963 131964 131965 131966 131967	Grading panel large noblesse elegance basic naturelle rustic	Dimension: 1950 x 530 mm per panel aus 15 mm Admonter Oak, brushed, easy care natural oiled with 192 mm width Gradings: noblesse, elegance, basic, naturelle, rustic			
Admonter 13	115050	Wooden Floors-Box Length: 22 cm Width: 22 cm Height: 17 cm	12 Pieces Wooden Floors samples with approx. 20 x 15 cm: Oak stone brushed, Oak Prairie used, Oak Lapis cross, Oak grey antico, Oak Aurum brushed, American Walnut sanded, Core Ash Sepia, Spruce white strongly brushed, Spruce aged multi strip intensive, Larch aged multi strip intensive, Larch Alba brushed, Reclaimed Wood extreme brushed			
	122167	Wooden panels-Box Length: 22 cm Width: 22 cm Height: 17 cm	10 Pieces Wooden samples panels with approx. 20 x 15 cm: Reclaimed Wood sunbaked brushed bright, Reclaimed Wood Alder grey, Reclaimed Wood, Larch, Stone Pine, Fir, Oak, American Walnut, Furniture panel Oak, Furniture panel Core Ash, Cube Oak 11 Pieces samples with approx. 20 x 15 cm: Wooden Floors: Oak Lapis cross, Spruce white multi strip intensive, American Walnut, sanded, Larch Alba			
	115048	Wooden Floors- Wooden panels- Acoustic panels-Box	brushed, Wooden panels: Reclaimed Wood sunbaked brushed, Furniture panel Oak, Cube Oak Naturholz-Akustikpl.: Premium/Dot/Linear nach Verfügb.			
	Samples box 1 Heritage Collection	strongly brushed, Spruce multi strip white in brushed, Spruce aged natura brushed, Spr Alba brushed, Larch white brushed, Larch a	Alba brushed sowie strongly brushed, Spruce white brushed sowie tensive, Spruce aged multi strip white intensive, Spruce Natur strongly uce aged natur strongly brushed, Spruce aged natur Intensive, Larch aged white intensive, Larch aged natur intensive, Larch lye washed natur			
Heritage Collection	131161 Samples box 2	brushed, Larch natur brushed, Ash natur br				
Henry	Heritage Collection	natur brushed, Spruce natur autentico, Sp brushed, Larch natur autentico, Larch natu	e Alba autentico, Spruce white autentico, Spruce natura brushed, Spruce ruce aged natur brushed, Spruce aged natur autentico, Larch natura ur scraped, Larch lye washed white brushed, Larch aged natura brushed, gio Antico, Pine sanded, Ash natura brushed, Core Ash natura brushed			
Admonter B Admonter B						
Decidion C	129702	Textures board	Textures board with samples in: sanded, brushed, scraped, alpin, cross format: approx. 1000 x 1400 mm			




SAMPLE PROGRAMME



SAMPLE PROGRAMME

	Item No.	Product	Description	Price €	oN STOCK	TO ORDER
	116085	Sample board wooden panels small with milled label	approx. 600 x 950 mm Admonter sample boards are provided with edging all around.			
	116086	Sample board wooden panels large with milled label	approx. 600 x 1950 mm Admonter sample boards are provided with edging all around.			
	129672	Hand sized sample for furniture panel Oak	brushed natural oiled			
	129673	Hand sized sample Reclaimed Wood Alder grey				
A REAL PROPERTY AND A REAL	129676	Hand sized sample Reclaimed Wood Alder grey				
	129678	Hand sized sample Reclaimed Wood hacked H3				
	please see Hand sized sample	Sampling CUBE	CUBE Full plank			
	please see Hand sized sample	Sampling GALLERIA	GALLERIA Full plank			
	113015	Reclaimed Wood	Without equipment, offers space for approx. 15 handset size (each size A4) Equipment according to customer requirements € 17,40 per handset size			
	124505	transport case	Standard equipment 8 pcs .: Reclaimed Wood - H2, H3, H4, sunbaked gray & brown, Oak, Alder gray, Stone-Pine			
	113009	Sampling Wooden acoustic panels PREMIUM	20 cm construction sample			
	113009	Sampling Wooden acoustic panels DOT	20 cm construction sample			
	129312	Sample board Multibond Oak nature/white without bevel	format approx. 950 x 50 cm with milled label and carrying handle Multibond on both sides, without bevel			
	129317	Sample board Multibond Oak nature/stone without bevel	format approx. 950 x 50 cm with milled label and carrying handle Multibond on both sides, without bevel			
	129321	Sample board Multibond Ash nature/white with and without bevel	format approx. 950 x 50 cm with milled label and carrying handle Multibond on both sides, with and without bevel			
	129321	Sample board Multibond Larch nature/white with bevel	format approx. 950 x 50 cm with milled label and carrying handle Multibond on both sides, with bevel			

	ltem No.	Product	Description Price €	on STOCK	TO ORDER
	103605	LED linear lighting	Support profile made of anodized aluminum including converter. Height: 24 mm, Depth: 21 mm, Length: for small material library: 940 mm		
<complex-block></complex-block>	124500	Lightweight rear walls as Room divider or back wall	Columns: Width: 400 mm Height: 2,350 mm Wall element: Width 1,400 mm or 1,000 mm Height: 2,350 mm Subjects can be varied and the parts can be combined with one another as required		





Wooden panels, Acoustic panels 🏅

Acoustic panels, Stairs, Doors 🏼 🗛

SAMPLE PROGRAMME

10

	ltem No.	Product	Description	Price €	on stock	TO ORDER
	113009	Sampling wooden acoustic panels LINEAR	20 cm construction sample			
And	115047	Wooden acoustic panels-Box	including sample PREMIUM/DOT/LINEAR Height 50 mm Width: 230 mm Length: 320 mm			
	118158	ACOUSTIC- tunnel	Audible differences can be experienced! Ideal in showrooms and at fairs.			
	124506	Oak	Dimension approx.: Width: 1110 mm Height: 2100 mm Depth: 1872 mm			
	116286	Sample board ACOUSTIC Premium, Linear, Dot	Dimension: Width: 550 mm Height: 750 mm			
	118270	Drawer unit small Acoustic	Number of sample plates: 12 format - sample plates: 942 x 605 mm Width: 1008 mm Height: 1200 mm Depth: 655 mm			
Trepprelement Tr	115096	Sample board Skirting & stair	Dimension: 600 x 420 mm			
	104190	Miniature model door made of Floors or Elements	50 x 70 x 20 cm			

SAMPLE PROGRAMME - EXHIBITION





EXHIBITION BOOTH TO RENT



Dimension	
Size: 4 x 5 m 20m² floor space	

Please clarify the costs, availability and delivery with your Admonter back-office.



Content

2 Drawer units, barelement lightning TV and optional VR-System There are 2 different designs available for the back wall

RANGE OF TABLE TOPS, BENCHES & LEANS

Wooden panels

	ltem No.		Product		Description		PRIC		ON STOCK	TO ORDER
	naturelle	rustic		Weight kg	Dimension mm	Finish	naturelle	rustic		
	124123	124124	RANGE OF TABLE TOPS	19	800 x 800 x 48	natural oiled PRO CARE				
	124125	124126	Oak naturelle brushed	28	800 x 1200 x 48	natural oiled PRO CARE				
	124127	122566	filled with brown filler	41	900 x 1600 x 48	natural oiled PRO CARE				
L. L. Martin	124128	124129	Oak rustic	63	1000 x 2200 x 48	natural oiled PRO CARE				
AFT	124130	124131	brushed filled with black filler	74	1000 x 2600 x 48	natural oiled PRO CARE				
	124132	124133	BENCHES	12	450 x 1200 x 48	natural oiled PRO CARE				
	115465	115464	Oak naturelle brushed filled with brown filler	15	450 x 1600 x 48	natural oiled PRO CARE				
4	124134	124135	Oak rustic	21	450 x 2200 x 48	natural oiled PRO CARE				
	124136	124137	brushed filled with black filler	25	450 x 2600 x 48	natural oiled PRO CARE				
	124138	124139	LEANS	8	350 x 1200 x 34,2	natural oiled PRO CARE				
VI. 7	124140	124141	Oak naturelle brushed filled with brown filler	11	350 x 1600 x 34,2	natural oiled PRO CARE				
R AVIA	122575	116252	Oak rustic	14	350 x 2200 x 34,2	natural oiled PRO CARE				
	124142	124143	brushed filled with black filler	17	350 x 2600 x 34,2	natural oiled PRO CARE				

NOTE: The prices are without subframe!

POINT OF SALE


	Item No.	Product	Description	Price €	STOCK TO ORDER
	114498	Stretching textile poster for exhibition	Standard sizes: 3000 x 1500 mm, 1500 x 500 mm 800 x 400 mm Individual sizes are also possible upon request. Free choice of motif - individual preparation.		
	119433	Adhesive poster	Size as desired various motifs Origin, sustainability or interior design		
Admonter £3	113041	Roll up 2 different motives to choose from	Height: 2020 mm Width: 1000 mm		
Admonter 200	130467	Mobile brochure display unit	Admonter brochure display unit Core Ash 900(L) x 240(T) x 225(H) mm		
Admonter	117672	Admonter Logo Acrylic glass single letters laser cut with metal pins	Height: 245 mm Width: 1500 mm		
	117602	Admonter Logo Acrylic glass-board grey	Height: 320 mm Width: 1250 mm		
Admonter ES	117603	Admonter Logo Acrylic glass-board white	Height: 200 mm Width: 800 mm		
	124509	Lightbox for the interior	Lightbox with full-surface illumination 1250 x 400 mm		
	124510	Lightbox for the outdoor area	Lightbox Plexi, LED, printed on both sides Case: aluminium white lacquered incl. fastening system (wall distance: 100-150 mm) 900 (L) x 350 (H) x 100 mm (D)		
Admonter Estavourite designer	112975	Admonter flag	Height: 3000 mm Width: 1000 mm		
Admonter 13 NATURE'S FAVOURITE DESIGNER	124511	Shop window wrap	Designage of shop wrap with Admonter CI, dimensions according to your needs		
		Admonter stickers for your car	We are happy to take care of the preparation and printing of Admonter stickers for your car.		
and the second sec	124512	Beach Flag	Dimension: Width approx.:1300 mm Height approx.: 2600 mm		
	124513	Admont Abbey wines	Excellent wines from the monastery wine-growing area in Slovenia awards (awards: Decanter London and AWC Vienna) more details on dveri-pax.at		

Admonter bietet Ihnen ein umfangreiches Produktprogramm für Ihre Ausstellung an. Der Folder "Verkaufsförderung" beinhaltet alle Informationen rund um die Ausstellung und befindet sich stehts aktuell auf unserer Website admonter.com/downloads.



VIRTUAL LIVING WORLDS






In our new virtual living worlds people can experience the effect of 90 Admonter natural wood floors in 12 different rooms.

admonter.com





DIGITALE MEDIEN





Description	Price €	STOCK	TO ORDER
VR glasses - the mobile solution. Experience Admonter FLOORs in 3D anytime, anywhere with your smartphone. https://www.admonter.eu/VRroomzCardboard/			
Virtually accessible recordings of showroom, integration into google.	-		
Virtually accessible recordings in our production halls, integration in google.	-		
In a virtual kitchen 12 different Natural wood floors can be laid by mouse click. The 360° VR Web Tool can work with, but also without VR glasses be used. Online https://www.admonter.eu/VRroomzCardboard/.	-		
 Product filter virtual living worlds & AR tool Product filter 360 ° VR tool 3D tour production & living worlds Acoustics calculation tool Architecture & planning credentials Downloads 	-		
Are you looking for a new floor for your living room, bedroom, kitchen or office? With our Admonter Wohnwelten app, Admonter natural wood floors can be virtually compared and contrasted in different living situations. You can find the app on our homepage at: www.admonter.com or Google Play Store / iOS Store	-		
Includes Admonter installation /videos / inspiration / information about products, available in all popular video formats for FLOORs, ELEMENTs, ACOUSTICs, DOORs	-		

FOLDER (for free)

Admonter 🚯 Inakan Kilitta

ITEM NUMBER

digital

PRODUCT

Admonter Heritage Collection

Folder

Admonter 🤼



TO

ITEM PRODUCT हर्षु NUMBER

Price list

123641

FOLDER (for free)

	ITEM NUMBER	PRODUCT	ON STOCK	TO ORDER	1	ITEM NUMBER	PRODUCT	ON STOCK	TO ORDER
Admonter 23 Retrogene The second seco	digital	Wooden panels Folder Printmedium Digital pdf			<section-header><section-header></section-header></section-header>	113046	Admonter Living worlds book Digital pdf		





<section-header><section-header><text><text></text></text></section-header></section-header>	digital	Sustainabi- lity Folder	Admonter £3 Buturgature	112978	Advice guide Printmedium Digital pdf
Admonter 👔 versationer	124521	Sales promotion Printmedium Digital pdf	Admonter & Marcow The State of the State of	128980	Wooden Floors Folder • Printmedium • Digital pdf
	digital	Softwood Folder Digital pdf	Admonter £3 Unternefisienens & Produktmerkmale und ihr Nutzen daraus	digital	Feature and benefit folder • Digital pdf



	112992	Hotel Folder Printmedium Digital pd	
--	--------	--	--

GIVE AWAYS

ſ	ITEM NUMBER	PRODUCT	ON STOCK ORDER	1	ITEM NUMBER	PRODUCT 5 to Page
	125333	Admonter Jacket		Admonter £3 Hier wird Auf HOLITOUREN GEARBEITET	124528	Floors- Shirt Wooden tours
Admoner 1	112967	Admonter bag		Admonter 11	117581	Sticky note book 105x73mm
Manuel 1	113019	Note book A4		Admasse ()	113017	Note pad A4
Allance	116388	Cape			131050	Pencil
	124529	Admonter gym bag		Marrian B	112962	Pen € 4,90
Admonter 23	123887	Admonter Pin		C Advances of	124530	USB Stick 16 GB
Admonter &	122707	Admonter shoe horn			131048	Filt bag
Admonter A	127365	Wooden ruler		Admonter 13	131049	Filt keychan



Admonter 🤼

DECLARATION OF CONSENT(D81)

To enable consumers to find an Admonter dealer as quickly as possible, we have published on our website a location-based search function in which your company can be listed.

agrees that the below information and The company _ contact details appear on the Admonter homepage (https://admonter.com/en/sales-partner/) and on the Ondo natural woodflooring homepage (www.ondo-naturholzboden.at). In order to be covered for the General Data Protection Regulation (GDPR), we would ask you to fill in, to scan in and to return the enclosed declaration of consent to info@admonter.at.

- Company name & Logo
- Contact person
- Address
- Coordinates
- Phone / fax- / mobile phone number
- E-Mail addresse
- Homepage
- Opening hours

This information is publicly availabe for the following purposes: - Identification of the closest Admonter dealer to the customer including possibility of direct contact.

Place and date

admonter.com

This declatation of consent can be withdrawn at any time. For that please contact Admonter Holzindustrie AG, Sägestraße 539, 8911 Admont or by e-Mail to datenschutz@admonter.at.

Natural Wood Floors	Natural V	Vood Panels	Natural Acou
Floors	Elements		Acoustics
Admonter Holzindustrie AG Sägestraße 539 8911 Admont, Austria +43 (0) 3613 3350 info@admonter.at		FN237499p Lande Raiffeisenbank Adr	



Signature

ustic Panels

Natural Wood Doors

Natural Wood Stairs

Gerichtsstand Liezen | UID-Nr.: ATU57198366 April 2022 8800 1000 0002 7276 | BIC: RZSTAT213001 Errors and changes possible.

EXAMPLES ADMONTER SHOWROOM










EXAMPLES ADMONTER SHOWROOM







EXAMPLES ADMONTER SHOWROOM







Company

(Company name including address, contact person and contact details) Company stamp or digital signature

presents the following showroom concept:

Admonter Premium showroom

Admonter showroom

Admonter brand presention

The following product groups are shown:

Wooden Floors Wooden Floors

Wooden panels

Wooden acoustic panels

Wooden stairs

PEFC

Wooden doors

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com

Wooden Floors Wooden panels Wooden acoustic panels Wooden stairs Wooden Floors Stairs











Wooden doors

Doors



Store.

Wooden Doors Doors

Room concepts made of natural WOOd for floors, walls & ceilings

Values

We have been dealing with wood in this region for almost 1,000 YEARS. Its eternal beauty and originality have inspired our craft ever since. It is important to us that we source our wood exclusively from SUSTAINABLY managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with. For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

... all from a single souce.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements. Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

... design with wood.

Admonter offers everything – both inside and outside the mainstream. Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

... multilayered texture.

This makes all Admonter products so stable and resistant to warping.

... ora et labora et lege.

Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

... naturalness and sustainability.

All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

... team.

In Admont, around 300 people work daily to make the most out of the wood as raw material and so create the Admonter products in the quality that they are known for internationally.

... earnest.

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

... regionality.

An Admonter product is 100% produced in Admont. Only in Admont. Period.

DOORs

Oak Aurum Private home Tirol


> ADMONTER INTERIOR WOOD DOORS - THE CONNECTION FOR BEST LIVING SPACES

VERSIONS AND DESIGNS

- Premium-quality design as flush with the wall
- Opening to the inside or to the outside
- Doors with glass frieze
- Sliding doors same designs like standard doors

Doors

Oak rustic cross Private home Vorarlberg



DOOR AND FRAME STRUCTURE

- Door thickness: 42, 46 and 52mm, depending on the wood type
- Both our doors and frames are made completely of real only
- Solid real wood edges on the door and frame provide high shock resistance
- Due to the top-quality hardwood structure, Admonter natural wood doors meet all the requirements of top-rated interior doors
- Direction of the grain of the door: horizontal or vertical, for the door frame: only lengthwise possible

OPENINGS






- Opening to the inside (opening into the embrasure)

1 Door 1

Door 2
 Opening to the outside



This door is hinged on the right



DOORS WITH FRIEZE GLASS

- Glass section with flush glazing bead
- Glass types: Clear glass or Satinato
 both in tempered safety glass ESG (single-pane safety glass)

160 mm


always lock side

Door 1 1



160 mm / 300 mm / residue

160 mm / 300 mm / residue



Door 1 - Glass section

Glass section height:	1500 mm
Glass section width:	300 mm

Door 2 - Frieze glass door

Glass width:

300 mm

MAGNETIC LOCKS

- High comfort: effortless closing due to magnetic latch •
- No wear of the strike plate •
- If closed, strike plate is not visible anymore •
- If opened, strike plate is not protruding •
- Box locks available for a rustic touch

HINGES

• Option: visible iron hinges - a striking design element



CUSTOMISED DOORS

We manufacture doors upon your individual specifications:

- Structural opening height ELEMENTs: max. 2400mm
- Structural opening height FLOORs: max. 2300mm •
- Structural opening width: max. 1250mm for single leaf doors


MOUNTING SYSTEM

- Healthy living and sustainability starts with the product and ends with the mounting system •
- Natural wood doors with corresponding mounting technology (formaldehyde-free wall joint) •
- Mechanical fastening to brickwork
- Sound-insulating installation joint •

HANDLES

- Door handles in ergonomic design
- Flat handle and key escutcheons
- Iron box lock handle as a striking design element

- DALLASFlat square escutcheonSatin stainless steel surface
- Locking options non-locking, BB-lock, bathroom/toilet lock, PZ-lock



- ACAPULCO

 Flat rectangular escutcheon
 Satin stainless steel surface
- Locking options non-locking, BB-lock, bathroom/toilet lock, PZ-lock



- **STOCKHOLM** Flat round escutcheon
- Satin stainless steel surface
- · Locking options non-locking, BB-lock, bathroom/toilet lock, PZ-lock



BOX LOCK HANDLE • From iron • Rustic

- Locking options lockable with key





ADMONTER OPENS SPACE CONCEPTS IN UNEXPECTED HARMONY.

THE DESIGNS FROM OUR FLOORS AND ELEMENTS CATEGORIES FIND THEIR MOVING COUNTERPARTS IN THE HIGH-QUALITY NATURAL WOOD DOORS.

CUSTOM-MADE IN THE DESIRED STYLE, AND EQUIPPED WITH LOVING WORKMANSHIP AND QUALITY, ASSOCIATED WITH THE NAME ADMONTER.

RANGE OF WOOD AND COLOURS















RECLAIMED

EXTREME

WOOD

OAK WHISKY

on request: brushed, cross, used







on request: brushed, raw, alpin

GRADINGS



basic

Depending on the type of wood, a knotty or lively wood pattern, without sapwood, rift and plain cut, medium growth and wood-specific colour and structural differences, product-specific flaws and cracks incorporated as features.



rustic

Very lively, rustic wood pattern, without sapwood, rift and plain cut, depending on wood species core partially present, strong growth and wood-specific colour and structural differences, product-specific flaws and cracks incorporated as features, cracks and partially not completely closed details are part of the rustic appearance.

SURFACE FINISH



natural oiled

100% natural oils keep the pores of the wood open. Here the health-promoting aspect of the indoor climate comes into its own. When cared for regularly and properly, the surface develops a natural patina of extraordinary resilience.

TEXTURES



Softer wood parts are brushed away. This gives your door a 3-dimensional surface. The sensuality of wood becomes visible and tangible in a unique way.



Used is strong partial brushing across the grain, which gives the floorboard a look and feel with a stunning character. Every floorboard is brushed once on the edge, in the middle or over the entire surface.




Strong lengthwise and crosswise brushing contribute to an attractive appearance to your door.

cross




Scraping combined with strong brushing across the grain gives the boards their special raw character.








Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com






Nature's favourite Designer

ADMONTER FOR INTERIOR DESIGN



WHY ADMONTER WOOD PRODUCTS FOR INTERIOR DESIGN?



ith wood, design dreams become reality. Below are some arguments for designing with wood.

1: Healthy living and indoor climate

Wood as a renewable raw material is by far one of the most natural materials for interior design and thus ensures a healthy indoor climate. It is light, stable and it can be wonderfully processed and refined. Due to its open pores, it positively influences and balances changing room climates.

2: Wood absorbs sound

Wood contributes to pleasant room acoustics because sound is reflected only to a limited extent. Acoustic absorbers made of wood on walls or ceilings significantly influences the reverberation time and sound level. At the same time the attractive design in different wood types will round off the design. This can also improve existing spaces by introducing wooden finishes.

3: Colour Range

With more than 100 colours available, colour schemes can be easily transferred to wood products. The use of light or dark woods influence how rooms are perceived. Light wood types in combination with calm, low-knot assortments have a more homogeneous effect and create a more luxurious ambience, while dark woods and/or rustic assortments show off the character of the wood.

4: Wood creates a feel-good atmosphere

Different textures such as antique look, brushed or manually scraped encourage you to experience and feel the wood with all senses.

An additional benefit of wood is its natural scent due to its natural oils and the feeling of being in nature.

Its surface texture also brings comfort, warmth and well-being into living rooms.

5: Selection of material and installation patterns

Depending on the type of wood, colour and format, individual wishes can be integrated and thus bring a personal touch to every room. The design possibilities with Admonter are almost unlimited. 15 different types of wood, more than 100 shades of colour as well as different formats ranging from XXL planks with 8 metres in length, the classic plank pattern to herringbone parquet. Floors, stairs, panels, doors and acoustics from

Admonter enormously influence the interior. A real highlight are reclaimed woods which have been shaped by sun, wind, rain and snow for over 100 years,

and have thus acquired their rustic appearance and their unique characteristics.

They can be perfectly combined with traditional and modern architecture and interior design.

6: Use in private sector, in public as well as in the hotel industry & gastronomy

In many buildings wood is increasingly seen as the material of choice because of its properties. Whether it's a private villa or chalet in the mountain region, a luxury flat in the city, a hotel in the city centre or a restaurant with a sea view – Admonter products are used everywhere.


Thanks to their high quality they offer a long-term promise for the investment,

as well as the highest customer satisfaction and timeless design. It is important to pay attention to the fact the material, colour, quality and design are in harmony with each other. With all Admonter products completely matching between floors, wall panels, stairs, doors and acoustics, complete room concept can be achieved.

Each individual product has its own design characteristics. Yet, if you combine the different elements, you will get the ultimate wood experience which is unique for Admonter.

7: Comfortable heating and cooling

This aspect will become increasingly important in the



future. Invisible heating and cooling systems, integrated into floors, walls and/or ceilings allow comfortable temperatures in summer and warmth in winter. Together with our system partner Harreither – Austria's leading manufacturer of heating and cooling systems – we offer these functional solutions.

8: Focus on holistic room concepts

Admonter offers a holistic room concept, all from one source, for various applications. Wood is very versatile and is mainly used in the interior in the form of flooring, wall and ceiling panelling, furniture, doors, staircases, table tops or kitchen fronts.

When designing all these areas, it is possible to create unique, coherent room concepts according to the customer's wishes.



ADMONTER ROOM CONCEPTS WITH WOOD



STUNNING ROOM SETUPS WITH ADMONTER

FLOOR[®]

With the unique natural wood designs the spaces gain ground. Admonter FLOORs highlight the individual characteristics of wood to skilfully combine stunning appearance with incomparable haptics.




THE REPAIR OF

Natural wood panels from Admonter are inspiring - for architects as well as for furniture makers. No wonder. They can contribute to so much more than simply wall cladding.

DOOR

Admonter natural wood doors are open for healthy living spaces. In combination with Admonter FLOORs and ELEMENTs they create natural wood design with a holistic approach.






In perfect harmony with Admonter FLOORs, staircase solutions of natural wood build the aesthetic bridge between different levels, thus raising the overall design to a higher level.





The pure harmony of acoustic and visual interior design. Outrageously appealing to the eye, remarkably noise-optimising and thanks to the smart construction ideal both for new constructions and renovations.

ADMONTER POSSIBLE APPLICATIONS










and secure your architect's box for free



Get your appointment

ADMONTER PROMISE

s Admonter, we are an Austrian company based in the green Styria and are a commercial enterprise of the local Benedictine monastery.

We produce natural wood floors, panels, stairs, wall and ceiling panelling, acoustic panels and interior doors - all made from high quality & genuine wood. Our natural wood products have created a special name for themselves: Admonter.

This name is both an indication of origin and a commitment. At the same time exclusive local production is guaranteed. This ensures the high quality of the products and the well-being of a region.

We have been working with wood in this region for almost 100 years. Its incorruptible beauty

and origin have inspired our craft ever since.

We obtain our wood exclusively from sustainably managed forests and also ensure an appreciative environment in other respects. Since we are convinced that only with caring for nature and people, something outstanding will be the result. Something that stays true each and every time and whose beauty has an effect both inwardly and outwardly.

Quality and trust become the most natural thing in the world.



f 0 |



Nature's favourite Designer

Ecology and Sustainability Data | Facts



Table of Content

	Faye
Introduction	3
Sustainability - History	4 - 5
Sustainable raw material	6
Cascading use	7
Sustainable energy concept	8
Production	9
Wood and formaldehyde + VOC	10
Sustainable Development Goals (SDGs	s) 11
Ecologically balanced	12
EPD Environmental declaration	13
Austrian Ecolabel	14
Strategy	15

Dago

Nature concerns allofus

Why sustainable construction

The construction and renovation of buildings, as well as manufacturing the products involved, require resources with limited supply. Sustainable construction is one way to minimise the consumption of resources. The aim is to take into account the environmental properties of the materials used throughout the entire lifecycle of a building, from construction to recycling.

Why EPD

An Environmental Product Declaration (EPD) As aimed at assisting builders, architects and processors to compare the environmental impact of different products with each other. An EPD is a neutral tool for communicating the environmental properties of products - independently audited according to standardised rules.

Warum Admonter

n addition to in-house quality control, the Admonter products are also regularly checked by accredited institutions. Apart from all the structural standards, they also meet the highest environmental and health requirements.

Other aspects that speak for Admonter

- Closeness to the natural point of origin
- Wood from sustainable forestry
- Manually controlled quality work
- Timeless design that creates atmosphere everywhere

Nature concludes its supply agreements only with those who appreciate, cherish and nurture.



Sustainability history

Admonter now

Mission statement of Admonter Holzindustrie AG

We are proud of our 1,000 years of socio-Christian tradition. We preserve it. It accompanies us on the road to a modern society.


We are aware of our responsibility towards our employees and our partners. We treat them with openness and honesty.

Building long-term relationships in which trust and equality are the pillars in dealing with business partners is a cornerstone of our company. Customer satisfaction is our ultimate goal! Naturalness and sustainability are preconditions for the selection of our raw materials from which we produce the highest quality products. Wood has been machined and processed at the Admont site for several centuries.

Admonter Holzindustrie now employs 270 employees and, with its Admonter FLOORs, ELEMENTs, STAIRs, DOORs and ACOUSTICs, known far beyond the borders of Austria.

Based on this successful business philosophy, not only the design but also the most environmentally friendly and sustainable production are the drivers behind the consistent quality and exclusive production in Admont.





Establishment of Admonter Holzindustrie AG **1972**

Two biomass boilers with a total of 7 MW district heating network taken into operation **1998**

filter system for all biomass boilers 2008 🎉


1. Admonter LCA cradle to factory gate 2009 👫

Commissioning of a 650 kWp photovoltaic 2013 plant on the roofs of the factory halls

Connection to rail transport 2015



1074 wood processing in the region starts



1985 🚯	Briquetting for recovery of wood by-products
1987	Birth of the first natural wood floor

2001	Start of own apprenticeship training
2003 🎎	Admonter is PEFC-certified
2004	Final end of fossil gas firing
2006	expanding the biomass boilers by 5 MW
2007	2. electric self-generation ORC with 800 kW
•	

- • £ 2016 EPD of all products manufactured in Admont
 - **2017** Austrian Ecolabel
 - **2019** Listed at the German institute for healthy living "Sentinel Haus Institut"
 - **2020** 100% of the electricity supplied derives from sustainable sources

Sustainable raw material

SUSTAINABILITY CAN BE DEMONSTRATED.

The "Programme for the Endorsement of Forest Certification Schemes" (PEFC) prooves that wood and products produced thereof come from sustainably managed forests.

It is one of the largest wood certification systems in the world and ensures that our forests with its diverse functions are preserved for future generations.

The independent control of the entire production chain - from the forest to the final products guarantees the seamless traceability of the wood flow taking economic, ecological and social aspects into account.3

Choosing Admonter is a choice for nature.

In every respect.

The abundant forests in the region of Admont and in overall Austria create an excellent basis for wood business. Like this, raw wood can be supplied by very short supply routes. A nationwide precondition for sustainability is ensured with the Austrian Forest Act1 and the FLEGT². Moreover, we are taking the PEFC certification in order to make sure that all wood comes from sustainbly managed forests. But that's not all. Instead of rare tropical timbers, our policy has always been to use native wood species.

¹ www.ris.bka.gv.at, Austrian Forest Act, Federal Law Gazette of 11.07.2016 ² FLEGT (EU-Regulation 995/2010) ³ www.pefc.at

PEFC







Cascading use

Apart from the origin of the raw material from sustainably managed forests, the sustainab le use of the material plays an equally importar role at Admonter. The use of a raw material over several stages is known as the cascading or mu tiple use. It starts with a product that has the high hest added value, ecologically creates the great test benefit and does not exclude multiple use

The next steps include, ideally, multiple material us with decreasing added value, and a finally the use of the raw material for energy generation or compos ting.4

Admonter is aware of its responsibility as it is usually at the beginning of the multiple use in the production of multilayer products from solid wood - it must be possible to reuse the material of all products after their service life. For the purposes of subsequent cascading use, the products must be free from pollutants. If a combination of material is required due to certain product properties, it must be easily recyclable. The reutilisation of waste wood as a raw material for high-quality design products is a good example, as higher product value is created as part of the material use - keyword Upcycling.

Consistent control measures by our suppliers, monitoring as part of our inhouse quality assurance and regular external inspections by in-

Multiple Material use



om b- ant	dependent institutes ensure that only uncont- aminated waste wood will be further recycled.
ver ul- g- ea- se.	The cascading use of wood as raw material and the products made from it allows it be used in the economic system for as long as possible. This enables environmental benefits such as:
se of s-	 A lower burden on the environment Greenhouse gas savings Higher added value4

⁴ Austrian Federal Environmental Agency, Publication Efficient use of wood: cascade versus incineration 2014

 \mathbf{m}_{2} of an average **Ådmonter** product saves 2,5kg (bioge nic) CO2

ELEMENTs



Chip-based products




Fibre-based products



Eneraetic utilisation

Sustainable energy concept



Economise with energy

lood residue and waste wood from the pro-Wood residue and waste weet the used ducti-on process that cannot be used further as material are used to generate energy in the company's in-house heating plant. The energy from the Admonter heating plant supplies the entire office and factory premises of Ad-monter Holzindustrie including the necessary pro-cess heat for thermal chambers, drying chambers and press lines. Through the connection to the local district heating network, the entire Admont Benedictine monastery (www.stiftadmont.at) and about 200 households are supplied.

Recycling management

All unavoidable residues and packaging mate-rials, which are generated during operation, are stored at central collection sites and recycled by authorised companies. Admonter has placed the emphasis on waste recovery and waste prevention in recent years.

- Continuous staff training on recycling ٠ management
- Raising employee awareness and recycling ٠ ethics
- Changeover of glue application technology -longer cleaning intervals and therefore lower water consumption
- Reduction of packaging material through in-ternal reuse

Energy management

Optimisation of the compressed air and power supply, the construction of photovoltaic systems on the factory roofs or retrofitting the lighting to LED techno-logy are just some of the energy-efficiency measures with which Admonter sets the trend for the future

⁵ Admonter-EPD in 2016; Austrian Federal Ministry of Agriculture, Forestry, Publication Wood Fuel 2016 ⁶ Climate and Energy Agency Baden-Württemberg CO2 emission factors in accordance with IINAS Version 4.94 7 Admonter EPD 2016 + conversion to molecular weight

The use of wood by-products and biomass in the company's in-house heating plants achieves an annual reduction and saving – of approximately 4 million litres of heating oil in year.⁵ This in turn corresponds to approximately 19,000 tonnes of CO2 and CO2 equivalents per year.⁶

Production

The appealing workin conditions in an innovative company and the positive product and brand brand image drive the high motivation of our employees.

Internal communication is key for our employees to perform at their best and ensures that the company's targets and developments are met.

A key aspect of our corporate philosophy is a continous increase in the competitiveness in a structurally weak environment. This is the only way to secure the production in the medium and long term.

At Admonter labour safety, environmental protection and social standards play a major role. Both the development of innovative products and the use of regional raw materials result in independence from non-European imports, which again contributes to regional value creation.

The high level of internal working conditions are already set by law. Furthermore, we even increase them with team-buildings, continous medical care by an occupational physician and with incentives for performance during the year.

If one were to line up all the products produced in a year, it would stretch all the way from from Admont to the North Cape.

All the floorboards produced in one year would cover the entire length of the Danube to its mouth in the Black Sea.

All the natural wood panels produced in one year stacked would be almost twice as high as the Burj Khalifa, currently the tallest building in the world.





Wood and formaldehyde + VOC

At the latitudes we live, we spend 90 per cent of our time indoors!

For this reason, indoor air exposed to the lowest possible emissions is an important prerequisite for health and well-being.⁸

The concentration levels of volatile organic compounds (VOC) accordingly contribute negatively to indoor air quality. As we are dealing with different materials with equally different effects on human health, the potential risk cannot be assessed cumulatively.


Possible indoor VOC sources can be chemicals used in construction, furnishings and articles of daily use or cleaning products.⁹


VOCs can also be of completely natural origin, wood and wood materials also contain them.

Without VOC, no wood smell

The health-friendly and mostly positively perceived substances in the wood are crucial to the smell of wood. They are also responsible for the characteristic and very pleasant smell of the stone pine wood. ¹⁰

- ⁸ Österr. Bundesministerium für Land- und Forstwirtschaft, Umwelt und Wasserwirtschaft, Publikation Richtlinie UZ 56 Fußbodenbeläge Version 3.0 2015
- ⁹ Österr. Bundesministerium für Land- und Forstwirtschaft, Umwelt und Wasserwirtschaft, Publikation Bewertung der Innenraumluft – Flüchtige organische Verbindungen – VOC 2012
- ¹⁰ Institut für Umweltmedizin Universitätsklinikum Freiburg; Fraunhofer-Institut für Holzforschung, Publikation Ist Holz ein gesundheitsverträglicher Baustoff 2010





There is currently no harmonised European limit values of the VOC emissions of indoor air. Besides some national voluntary tests, only a few countries have mandatory evaluation systems.

As of 2012, furnishings and construction products therefore must be classified and labelled to indicate their VOC emission behaviour – in France, for example, before they are placed on the market.

All Admonter solid wood multilayer products fall well below the most stringent class "A+" (very low emission).¹¹

Formaldehyde is one of the most volatile organic compounds. In concentrated form, formaldehyde is a colourless, pungent-smelling, gaseous substance at room temperature. It is contained in raw wood with a steady state concentration of less than 0.01 ppm.¹²

Admonter campaigns against trivialising the dangers of formaldehyde exposure; in addition to inhouse monitoring, Admonter regularly undergoes ongoing external inspections. All solid wood multilayer products measure se-veral clicks below the limits of the currently most stringent European E1 formaldehyde class.

Some more sensitive testing methods are commonly applied on other continents, but Admonter meets or falls below these limits.

 ¹¹ eco Institute Cologne, Publication French VOC Regulation 2012
 ¹² Association of the German Wood Products Industry, Publication Building and Living with Wood 2013
 ¹³ Test report HFA 566/2016

Overview of formaldehyde limit values						
Emission class	Test method according to	Limit value				
E1	EN 717-1	0,1ppm (0,124mg/m ³)				
	EN 717-2	3,5mg/m²h				
E0	AS/NZS 4266.16	0,5mg/l				
F****	JIS A 1460	0,3mg/l				
Sauna suitabi- lity according ÖNORM M 6219-1 2010	EN 717-2 (geprüft bei 90°C)	0,4mg/m²h				
Steady state concentration of row wood	0,01 ppm					
Admonter solid wood multilayer products ¹³	0,01 ppm					

Sustainable Development Goals (SDGs)

On 25 September 2015 the Agenda 2030 for Sustainable Development was adopted by the General Assembly of the United Nations by all 193 member states. 17 Sustainable Development Goals (SDGs) have been set, which encompass social, environmental ecological and economic aspects and result in the "transformation of our world".

The SDGs are divided into 169 sub-goals (targets) and include a newly interconnected understanding of poverty, environmental degradation, inequality, production and consumption patterns, corruption, to name just a few. It was recognised that different problems need to be addressed everywhere at the same time and should not be regionally or thematically limited. The universality of the agenda means that all goals apply to all countries. The responsibility for the implementation of the goals lies both at the domestic as well as at the international level.

Admonter has implemented the majority of the 17 SDGs already for years.







Ecologically balanced

WITH A GOOD CONSCIENCE

The "Life Cycle Assessment" LCA is the compilation and assessment of the input and output flows and the potential environmental impact of a product in the course of its life. Factors such as resource consumption, global warming potential or energy content are represented by key figures. The sum of the required resources and emissions ("LCI") is converted into indicators of a compre-hensive impact assessment.

The conducting of an LCA study regulate the ISO 14040 and ISO 14 044 series of standards.¹⁴ In an LCA the environmental relevance of the va-ious life stages of the product or process are examined.

These life stages comprise the following areas

- Raw material extraction
- Production
- Processing
- Transport Consumption
- Reuse
- Waste (municipal waste disposal)
- Wastewater treatment
- Disposal

An LCA comprises three key components: assessment inventory, impact and interpretation.

The assessment area is divided into areas such as use of raw materials, energy use, emissions, water, waste generation and toxicological and ecological assessments of the emissions caused. The aim of the LCA is to weigh up the environmental impact of products and processes.15

¹⁴ Admonter-EPD 2021

¹⁵ EN ISO 14040ff with system boundary "cradle to factory gate" Method: CML 2 baseline 2000 V2.1 + primary energy balance 2,12,04 / West Europe

EPD Environmental Declaration

Parameters	Unit	Production (A1-A3)
LCA environmental impact: 1 m ² solid	l wood multilayer	product
Global warming potential	[kg CO ₂ -Äq.]	-7,68E+0
Depletion potential of the stratospheric ozone layer	[kg CFC11-Äq.]	9,51E-8
Acidification potential of soil and water	[mol H+-Äq.]	3,16E-2
Eutrophication potential	[kg P-Äq.]	3,06E-4
Formation potential of tropospheric ozone	[kg CO2-Äq.]	2,57E-2
Potential for abiotic depletion of fossil fuels	[kg Sb-Äq.]	4,46E-6
Potential for abiotic depletion of fossil fuels	[MJ]	7,44E+1
Ökobilanz Ressourceneinsatz: 1m ² Mas	sivholzmehrschic	htprodukt
Renewable primary energy as an energy source	[MJ]	1,30E+3
Renewable primary energy for material use	[MJ]	1,28E+2
Total renewable primary energy	[MJ]	1,43E+3
Non-renewable primary energy as energy source	[MJ]	6,87E+1
Non-renewable primary energy for material use	[MJ]	5,69E+0
Total non-renewable primary energy	[MJ]	7,44E+1
Use of alternative materials	[kg]	2,47E-2
Renewable alternative fuels	[MJ]	0,00E+0
Non-renewable alternative fuels	[MJ]	0,00E+0
Use of freshwater resources	[m³]	1,32E+0



2016/2021: EPD of all products manufactured in Admont Environmental product declaration according to ISO 14025 and EN 15804 Admonter solid wood multilayer products Admonter Holzindustrie

AG Declaration Number: EPD-STI-20160090-IBC1-DE http://ibu-epd.com/mitglieder

A part from certifications and approvals, compa-nies are free to draw up a so called "Environmental Product Declaration" (EPD). The EPD is a neutral tool for communicating the environmental properties of a product. An EPD documents the environmental performance about the product life cycle "ecological footprint" - based on a life cycle assessment (LCA).

This allows architects, contractors and processors to compare different products and construction methods according to economic, environmental and socio-cultural criteria with each other. The high energy and material flows in building construction and renovation, as well as in the use phase, have a comprehensive assessment of the sustainability of buildings increasingly gaining in im-portance. Moreover, the aim is to look at the use of re-sources and energy consumption of all building products used in construction throughout their entire life cycles and make a comparison.

An environmental product declaration is checked by independent experts according to uniform rules issued by renowned programme operators and covers all key LCA figures that the conventional systems for sustainable buildings certification apply.¹⁶

The EPD thus constitutes the basis for all the necessary aspects for the global assessment of the sustainability of buildings.¹⁷ Despite different program operators, regional dominance and partly different assessment approaches, these certification systems are aimed at weighting the broad scope of factors, beginning with production over use through to the so called "end-of-life" and assemble them in a comparable assessment framework.

The established certification systems include, for example, the American Leadership in Energy and Environmental Design (LEED), the UK Building Research Establishment Environmental Assessment Method (Breeam) or the German Sustainable Building Council (DGNB). The LEED sustainability standard is an internationally comparable quality label for energy-efficient and environmentally responsible buildings, interiors and management concepts.

¹⁶ In the EPD Admonter discloses the environmental performance of its products and so contributes to sustainable building and living. The German Institute for Building and Environment (IBU) is the programme operator of our EPD ¹⁷ Institute for Building and Environment, Publication IBU Compendium Sustainable Building 2013

Austrian Eco Label

The Austrian Ecolabel is a state-issued quality label identifying environmentally friendly manufactured products. Products for use indoors marked with the Ecolabel have little or no pollutant levels and make an important contribution to ambient air quality.¹⁸

Wood and wood products bearing the Ecolabel must meet the following criteria, among others:

- At least half of the processed raw materials must come from sustainably managed forests.

- The products may not contain environmentally hazardous or life-threatening ingredients. The strict limits for VOCs are complied with.¹⁹

Due to their large-scale application, flooring has a significant influence on the quality of indoor air. The use of low-emission products is of great im-portance to avoid adverse health effects. Further-more,itmustbesuitableforcascadeuse.²⁰

Admonter meets the requirements of two diffe-rent directives: UZ 07 (wood and wood-based materials) and UZ 56 (floor coverings).

²⁰Austrian Federal Ministry of Agriculture, Forestry, Environment and Water Management, Publication Directive UZ 56 Floor Coverings Version 3.0 2015

Continous improvement is part of our daily lives!

Many of the points discussed here are not legal required obligations. However, we are responsible to leave the smallest possible ecological footprint.

Only then you can as a customer incorporate the Admonterqualityinyourlifewithacleancons-cience!

The sustainability concept is also reflected in all administrative and planning decisions.

For sustainability reasons this environmental brochure was not printed / available as digital version. If necessary, a small number of copies will be printed. Errors, changes, printing and typographical errors reserved.

© Copyright notice

All contents of this folder, in particular texts, photographs and graphics, are protected by copyright. Copyright is, unless other-wise expressly indicated, held by the Admonter Holzindustrie AG. The unabridged reproduction with source reference is permitted until further notice. Partial reproduction requires the written consent of Admonter Holzindustrie AG.

Imprint: Admonter Holzindustrie AG Sägestrasse 539 A-8911 Admont Tel.: +43(0)3613 3350 Fax: +43(0)3613 3350-117

www.admonter.com

Feel free to contact us if you have any questions! Please send us your message to info@admonter.at

¹⁸ Austrian Federal Ministry of Agriculture, Forestry, Environment and Water Management, Publication The Austrian Ecolabel 2014

¹⁹ Austrian Federal Ministry of Agriculture, Forestry, Environment and Water Management, Publication Directive UZ 56 Wood and Wood-based Materials Version 8.0 2015

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com







Admonter acoustic solutions Design for eyes and ears




Acoustics with added value

Shhh. What is that? It's so pleasantly quiet, almost like a walk through nature. This is made possible by the Admonter acoustic elements made of natural wood, which are not only a visual eye-catcher due to their appealing design, but also promise optimal room acoustics due to their construction.

Whether it's the clattering of dishes or the shouts of children - Admonter acoustic elements absorb up to 100% of the incident sound and thus reduce the reverberation time. Of course, the acoustic elements, which are 100% made in Austria, are also free of harmful substances and respirable fibres as well as open to vapour diffusion, thus contributing to healthy living. Furthermore, Admonter products are PEFC certified, have an environmental product declaration and bear the Austrian eco-label.


HEAR THE DIFFERENCE

and use our free acoustic calculation tool for your individual calculation simulation: https://service.admonter.at/raumakustik/en.html



© Das Martell - Daniel Sobietzki





Admonter Acoustics Premium and Dot can also be combined with air-conditioned ceiling systems to regulate the room climate - so it's easy to stay comfortable in the home office even in summer.


Acoustic Premium is also available as a readyto-install ceiling canopy for easy retrofitting in existing rooms.




Did you know...

A main criterion in acoustics is usually the reverberation time, i.e. the time it takes for a sound to fade away. In enclosed spaces, sound waves keep reflecting off the walls and floor until they weaken. This makes us perceive a room as loud. Hard surfaces such as glass, concrete, or tiles reflect sound particularly well.

Admonter Acoustics do exactly the opposite - they absorb up to 100% of the incident sound!







project by Architekturbüro Engelshove







3 arguments for Admonter Acoustics

Up to 100% sound absorption possible, with considerably less surface occupancy compared to conventional systems.

No processing such as filling, sanding or pain-ting is necessary on site. Admonter Acoustics can be installed cleanly, quickly and easily.

Admonter is also a bearer of the Austrian Ecolabel. Products labelled with the Eco-label have >> no or only low levels of pollutants and thus make an important contribution to indoor air quality.

ACOUSTICS PREMIUM

	-		
<u> </u>			
12	111		
Spruce	Larch	Oak	Oak finger-jointed

ACOUSTICS LINEAR

*			>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
Spruce	Spruce aged	Larch	Larch aged

ACOUSTICS DOT

		· · · · · · · · · · · · · · · · · · ·	
Spruce	Spruce aged	Oak	Reclaimed Wood hacked H2

ACOUSTICS GEO

	-		
Û		- Maria	
6			
ALC: ALC: ALC: ALC: ALC: ALC: ALC: ALC:			
Spruce	Larch	Oak finger-jointed	Fir finger-jointed

Product	Dimension	6	So abso	und rptio	n	Ball proof impact*	Fire classification	Product weight/m ²	Legend:
Premium	33/35/38 x 200 x 2100/2390mm	Ŋ	Ŋ	Ŋ	Ŋ		٨	app. 4 kg	Ball-proof impact resistance hockeyball certificated DIN 18032-3
Linear	19 x 240 x 2400mm		Ŋ	Ŋ	Ņ	not tested	••	approx. 10 kg	Ball-proof impact resistance handball certificated EN 13964
Dot	19 x 244 x 1824-2400mm				Ŋ		00	approx. 9 kg	Fire classification: up to C-s2, d0 only with factory-made texture treatment and mechanical fastening possible
Geo	33 x 415 x 2400mm			Ŋ	Ŋ	not tested	0	approx. 8 kg	* Ball-proof means that a wall or ceiling cladding cannot be broken by being hit with different balls, or that parts can't come loose that could injure someone.

.......

.

extreme

Reclaimed Wood Reclaimed Wood


sunbaked



Acoustics programme at a glance

You can find more information online admonter.com/en/acoustics





Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | admonter.com





Wooden acoustic panels Acoustics



Values

We have been dealing with wood in this region for almost 1,000 YEARS. Its eternal beauty and originality have inspired our craft ever since. It is important to us that we source our wood exclusively from SUS-TAINABLY

managed forests and ensure a working environment based on RESPECT – both for our forests and those we work with. For us, QUALITY and TRUST must come first and we strive for this to be the most natural thing in the world.

... all from a single souce.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements. Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

... design with wood.

Admonter offers everything – both inside and outside the mainstream. Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

... multilayered texture. This makes all Admonter products so stable and resistant to warping.

... ora et labora et lege.

Admonter Holzindustrie AG is a subsidiary of the Admont Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

... naturalness and sustainability. All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and

... team.

In Admont, around 300 people work daily to make the most out of the wood as raw material and so create the Admonter products in the quality that they are known for internationally.

... earnest.

Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

... regionality.

An Admonter product is 100% produced in Admont. Only in Admont. Period.

ACOUSTICs

Premium Reclaimed Wood sunbaked hacked H3 Rehearsal room Alpengold Harmonika Austria Image: Erika Mayer Photography

> ADMONTER ACOUSTICS NEW POSSIBILITIES FOR ACOUSTIC AND VISUAL ROOM DESIGN.

ACOUSTIC PANELS

Due to the natural building biology and the low weight per unit, ACOUSTICs Premium are ideal for new buildings but also for rennovations.

But it would not be Admonter, if the ingenious acoustic elements would do without design.

A selection of various wood types perfectly matches Admonter's range of floors, wall and furniture elements, doors and stairs. Interior design dreams come true.

OVERVIEW



SPECIAL COLOURS - EASY COLOR (on request)



GENERAL INFORMATION

THE ACOUSTIC ROOM DESIGN

Whether a room is perceived as acoustically pleasant largely depends on the reverberation time. The reverberation time indicates the period of time that a sound event requires in order to be inaudible. Through the proper use of **sound-absorbing materials**, the room acoustics can be specifically tailored to the purpose of the room.

PLANNING

Admonter ACOUSTICs absorb **up to 100** % of the incident sound and thus meet the high requirements for visual and functional room design. By varying the overall construction height (distance to the ceiling and type of damping), acoustic properties matching the respective requirements can be created. In order to achieve the optimal auditory effect for the individual spatial situation, it is recommended to consult a designer with expert acoustic knowledge or an acoustician at an early stage.

ONLINE CALCULATION - TOOL

Use this service for your individual acoustic room design calculation: service.admonter.at/raumakustik/en.html

ACOUSTICs

Premium Spruce Hotel Edelweiß Austria Image: Erika Mayer Photography

FACTS

Using Admonter ACOUSTICs: sound is absorbed,pleasant room acoustics are created and a significantly improved speech intelligibility is achieved.

in order to reduce noise and reverberation in rooms, reflective surfaces like e.g. ceilings, walls, partitions and glass elements need to be covered with sound-absorbing components. Admonter ACOUSTICs, which are decorative and sound-absorbing at the same time, can easily be installed both in new and renovation buildings.





(Canal)

Premium Oak stone Private home Austria

FUNCTIONAL

Acoustic problems in the low-frequency area can be solved with so-called bass traps made of Admonter Acoustics Premium.

Bass traps can be realised by the carpenter on site according to the respective needs determined by the acoustician. The following horizontal section (see below) shows an example of such a set-up.

In contrast to standard set-ups, such bass traps effectively counteract frequencies of 100 Hz and below. Especially in small music rehearsal rooms, as shown here, this represents a valuable contribution to acoustic problem solving.

10




ACOUSTICs

Premium Spruce Music room Austria

ACOUSTICS AIR-CONDITIONED CEILINGS

The Admonter "ACOUSTICs Premium and DOT" can be combined with commercially available ceiling air conditioning systems in order to regulate the room climate. When comparing this combination with Acoustics Premium sole use, there might be lightly more joint formation due to higher varying differences in humidity of the wood between summer and winter. The achieved cooling power mainly depends on the air conditioning system used.






THE CHOICE FOR BEST ACOUSTICS:

 ACOUSTICS PERFECTLY MATCH ADMONTER'S **PRODUCT RANGE** • DUE TO THEIR VARIOUS ACOUSTICAL AND MECHANICAL **PROPERTIES ADMONTER ACOUSTICS HAVE A WIDE** FIELD OF APPLICATION (E.G.: HOCKEYBALL-**PROOF IMPACT RESISTANCE FOR DOT** APPLICABLE FOR MULTIPURPOSE AND SPORTS HALLS)

ACOUSTICs

OALBIN

Premium with Air-conditioned ceilings Spruce Trockenbau Brunner Austria Image: Erika Mayer Photography




-





RETRO HACKED H2







FINGER-JOINTED

OAK

LARCH

ACOUSTICs DOT

SPRUCE



CONSTRUCTION



ACOUSTICs LINEAR






CONSTRUCTION









ACOUSTICs

1

Premium Reclaimed Wood hacked H3 Weiler Möbel Austria

ACOUSTICs

-


Premium Oak Hotel Das Martell Austria ©Das Martell Image: Daniel Sobieztki

Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com



Visit our homepage **admonter.com**

Room concepts made of natural wood for floors, walls and ceilings





 $\leftarrow \rightarrow$



VIRTUAL LIVING WORDLS

In our virtual living environment, customers can try out the effects of 90 Admonter natural wood floors in 12 different rooms. **admonter.com**







360° Tour of Admonter production

360° Tour of Admonter showroom

Virtually accessible recordings in our production halls, integration in google.

Virtually accessible recordings of showroom, integration into google.

360° VR-Tool

In a virtual kitchen 12 different Natural wood floors can be laid by mouse click. The 360° VR Web Tool can work with, but also without VR glasses be used. Online https://www.admonter.eu/VRroomzCardboard/.