

FLOOR^S

Admonter 
NATURE'S FAVOURITE DESIGNER

AUTENTICO



FLOOR^S

ELEMENT^S

DOOR^S


STAIR^S

ACOUSTIC^S


AUTENTICO
OAK




		OAK AUTENTICO				Top layer approx. 3,6 mm Initial oil treatment required! Maintenance oil natural			
Grading	Thickn. (mm)	Construction	Width (mm)	Length (mm)	Texture	€/m²	Profile		
rustic	15	3-Layer	192	classic	2000	brushed	pc		



AUTENTICO
OAK




Oak also available as Oak Fumo.

		OAK AUTENTICO white/stone				Top layer approx. 3,6 mm Initial oil treatment required! Maintenance oil natural			
Product	Grading	Thickn. (mm)	Construction	Width (mm)	Length (mm)	Texture	€/m²	Profile	
Oak white	rustic	15	3-Layer	192	classic	2000	sanded	pc	Tongue & groove
Oak stone	rustic	15	3-Layer	192	classic	2000	brushed	pc	Tongue & groove



AUTENTICO



LARCH



Larch aged basic brushed



Larch basic brushed

		LARCH / LARCH AGED AUTENTICO						<div><div>Top layer approx. 3,6 mm</div><div>Initial oil treatment required!</div><div>Maintenance oil natural</div></div> 		
Product	Grading	Thickn. (mm)	Con-struction	Width (mm)	Length (mm)	Texture		€/m²	Profile	
Larch aged	basic	15	3-Layer	195	classic	2000	brushed	pc	Tongue & groove	
Larch	basic	15	3-Layer	195	classic	2000	brushed	pc	Tongue & groove	

