

Nature's favourite Designer

Natural wood floors





A... ALL FROM A SINGLE SOURCE.

Floor, ceiling, wall, stairs, furniture, door and acoustic elements. Harmonised, in contrast or a mosaic from many design elements. The Admonter range allows you to draw from the full source of inspiration.

D... DESIGN WITH WOOD.

Admonter offers everything – both inside and outside the mainstream.

Short or long, narrow or wide, in neat rows or in creative patterns. Individuality is part of our DNA.

M... MULTILAYERED STRUCTURE

This makes all Admonter products so stable and resistant to warping.

O... ORA ET LABORA ET LEGE.

Admonter Holzindustrie AG is a subsidiary of the Admont
Abbey and lives up to its responsibility as a company that has grown for around 1,000 years.

N... NATURALNESS AND SUSTAINABILITY.

All Admonter products are PEFC and EPD certified. Admonter is one of the pioneers in the area of climate and environmental protection.

T... TEAM

In Admont, around 300 people work daily to make the most out of the wood as raw material and so create the Admonter products in the quality that they are known for internationally.

E... EARNEST


Nature is unpretentious, authentic and honest. At Admonter, we want to preserve this honesty and bring it into your home. Without some magic formula, but with a lot of flair for the craft and attention to detail.

R... REGIONALITY

An Admonter product is 100 % produced in Admont. Only in Admont. Period.



Powerful Sales Tools – Digital





You can find the complete range of digital sales tools on: **admonter.com**

- » ADMONTER VIRTUAL LIVING WOODS
- » 360° VR TOOL
- » ADMONTER APP
- » 3D TOUR OF SHOWROOM
- » 3D TOUR OF PRODUCTION

ADMONTER B2B — ONLINESHOP LIMITED EDITION — SHOP.ADMONTER.COM/HAENDLERLOGIN

For Admonter B2B customers, registration & login required. Ask your Admonter contact person for assistance with your registration.

ADMONTER B2C – ONLINESHOP – SHOP, ADMONTER, COM

Admonter online shop for floor / wall / ceiling

Introduction FLOORs

CONSTRUCTION - THICKNESS (MM)

TOP LAYER:

- » Only the best timber is selected for the top layer of an Admonter wide plank floor. It is approx. 3.6 mm for softwood and hardwood.
- » Products with a top layer thickness of approx. 2.5 mm (see table below).

Top layer

TRANSVERSE MIDDLE LAYER:

This reduces warping of the width of the plank and stabilises the top layer.

| Construction | Thickness mm | Top layer mm | transverse middle layer | Backing | bevel (mm) |
|-------------------|--------------|--------------|-------------------------|-----------------|-----------------------------|
| 3-Layer | approx. 15 | approx. 3,6 | Solid wood | Solid wood | on 4 sides $(A = 0.5)$ |
| 3-Layer SMALL | approx. 13 | approx. 3,6 | Solid wood | Solid wood | on 4 sides (A = 0,3) |
| 3-Layer antico | approx. 15 | approx. 3,6 | Solid wood | Solid wood | V-bevel ($A \approx 1,5$) |
| 3-Layer autentico | approx. 15 | approx. 3,6 | Solid wood | Solid wood | Round bevel |
| 3-layer Chevron | approx. 15 | approx. 3,6 | Solid wood | Solid wood | on 4 sides (A = 0,3) |
| 2-Layer | approx. 10 | approx. 3,6 | | Solid wood | on 4 sides (A = 0,3) |
| Chevron | approx. 10 | approx. 2,5 | | HDF | on 4 sides (A = 0,3) |
| 3-Layer ONDO | approx. 13 | approx. 2,5 | Solid wood | Softwood veneer | on 4 sides (A = 0,5) |

INSTALLATION SYSTEM

- » Classic Tongue & groove this system has been proven for decades and is the best solution for the installation of long and wide planks in large dimensions.
- » Glueless installation system: lock-it





Tongue & groove


All 3-layer floors construction can be installed either floating or fully glued-down. 2-layer floors and small formats (Rhombus, twin, Chevron) HAVE TO be glued-down over the entire surface. Please visit admonter.com for more information in the care instructions on the cleaning & maintenance guide.

SELECTION OF LENGTHS

- 01. **SMALL:** Length from **590 up to 1200 mm**. Also suitable to create a herringbone pattern.
- 02. CLASSIC: Lengths up to 2400 mm.
- 03. LONG: 2800 mm long.
- 04. **XXLONG:** The length of these planks are **3500 up to 8000 mm** giving a special character to big rooms.









Oak noblesse

BRUSHED NATURAL OILED EASY CARE - CLASSIC





Possible executions of the Oak

SURFACE TEXTURE

brushed / sanded / scraped / antico / used / autentico / cross / alpin

FINISH

natural oiled easy care / natural oiled pro care / matt lacquer

GRADING


noblesse / elegance / basic / naturelle / rustic


XXLONG: nature

FORMAT

small / classic / long / XXLong

PROFILE







Oak stone rustic

BRUSHED NATURAL OILED EASY CARE - CLASSIC





Possible executions of the Oak stone

SURFACE TEXTURE

brushed / sanded / scraped / used / autentico / cross / alpin

FINISH

natural oiled easy care / natural oiled pro care / matt lacquer

GRADING

noblesse / elegance / basic / naturelle / rustic

XXLONG: nature

FORMAT

small / classic / long / XXLong

PROFILE

Oak white basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Oak white

SURFACE TEXTURE

brushed / sanded / scraped / autentico / alpin / cross / used

FINISH

natural oiled easy care /natural oiled pro care / matt lacquer

GRADING

noblesse / elegance / basic / naturelle / rustic


XXLONG: nature

FORMAT

small / classic / long / XXLong

PROFILE





nter



Oak Griseo noblesse

BRUSHED NATURAL OILED EASY CARE - CLASSIC





Possible executions of the Oak Griseo _____

SURFACE TEXTURE

brushed

FINISH

natural oiled easy care

GRADING

noblesse / basic

XXLONG: nature

FORMAT

classic / long / XXLong

PROFILE

Oak Seta basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC





SMOKED PRODUCTS

Possible executions of the Oak Seta

SURFACE TEXTURE

brushed / scraped / cross / used

FINISH

natural oiled easy care

GRADING


basic / naturelle / rustic

FORMAT

small / classic / long

PROFILE





Oak Aurum rustic

BRUSHED NATURAL OILED EASY CARE





SMOKED PRODUCTS

Possible executions of the Oak Aurum

SURFACE TEXTURE

brushed / scraped / cross

FINISH

natural oiled easy care

GRADING

rustic

FORMAT

classic

PROFILE

Oak Soren basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC





THERMO-TREATED

Possible executions of the Oak Soren

SURFACE TEXTURE

brushed

FINISH

natural oiled easy care

GRADING

noblesse / basic

FORMAT

classic

PROFILE





Core Ash NATURA basic

BRUSHED NATURAL OILED EASY CARE - CLASSIC



Possible executions of the Core Ash NATURA ____

SURFACE TEXTURE

brushed / scraped

FINISH

natural oiled easy care

GRADING

basic

FORMAT

small / classic

PROFILE







American Walnut

SANDED, NATURAL OILED EASY CARE — CLASSIC





Possible executions of the American Walnut __

SURFACE TEXTURE

sanded / antico

FINISH

natural oiled easy care / natural oiled pro care / matt lacquer

GRADING

elegance / rustic

FORMAT

small / classic

PROFILE

Larch natural

BRUSHED NATURAL OILED EASY CARE - CLASSIC





Possible executions of the Larch

SURFACE TEXTURE

sanded / brushed / autentico / antico

FINISH

natural oiled easy care / natural oiled pro care / matt lacquer

GRADING

naturelle

FORMAT

classic / XXLong

PROFILE











Grading description

SOFTWOOD

NATURELLE

- » Rustic grading, surface full of natural character
- » Black knots, resin pockets, sapwood and shakes are possible
- » colour and structural variations due to the grain patterns and the origin
- » cracks and shakes are professionally filled
- » Shakes and not completely filled knots are typical for this knotty-rustic grade

BASIC

- » Vivid, knotty appearance
- » Black knots, resin pockets and small shakes are possible
- » contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled

HARDWOOD

NOBLESSE

- » soft, structural appearance
- » in principle knotless (occasional pin knots possible)
- » no sapwood
- » straight an wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » basically no filled knots

ELEGANCE

- » soft structural appearance with only a few knots
- » no sapwood except American Walnut and American Cherry
- » straight and wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » small knotholes and shakes are professionally filled
- » filled with a brown filler (expect: American Walnut with black filler)









BASIC

- » Knotty grading
- » no sapwood
- » straight and wavy grain
- » Contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled with a brown filler

NATURELLE

- » rustic grading, surface full of natural character
- » straight and wavy grain
- » occasional heartwood depending on the wood species
- » strong contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled
- » shakes and occasional not completely filled knots are a typical feature of the naturelle grade
- » without sapwood
- » filled with a brown filler

RUSTIC

- » Rustic grading, surface full of natural character
- » no sapwood (except American Walnut)
- » straight and wavy grain
- » occasional heartwood depending on the wood species
- » strong contrasting colour variation and grain patterns are a valued feature
- » knotholes and shakes are professionally filled with a black filler
- » Shakes and occasional not completely filled knots are a typical feature of the rustic grade

NATURE

(Mixed grading for XXL Oak)
Only available in mixed lenghts and widths

- » soft, structural to vivid appearance
- » no sapwood
- » straight and wavy grain
- » contrasting colour variation and grain
- » patterns due to the origin and growth of the trees
- » fallen out knots and cracks are filled matching the appearance of the whole plank
- » cracks and partly not fully filled knots are a valued feature
- » filled with brown filler

Colour range – Floors

NATURAL WOOD FLOOR - OAK

Sometimes natural, sometimes noble, but always highly durable: the many facets of oak. There is huge variety between different types of oak. The range of colours and potential ambiences never ceases to surprise. And this is precisely the reason behind the huge popularity of this hard-wearing wood.





01 OAK ALPINO / 02 OAK MARSHAL / 03 OAK SUPERBIANCO / 04 OAK WHITE / 05 OAK NATURA / 06 OAK STONE 07 OAK PRAIRIE / 08 OAK / 09 OAK IGNIS / 10 OAK SALIS / 11 OAK LAPIS / 12 OAK SETA / 13 OAK AURUM 14 OAK MEDIUM / 15 RECLAIMED WOOD OAK / 16 OAK FUMO / 17 OAK WHISKY / 18 OAK MARRONE 19 OAK MONTES / 20 OAK GREY / 21 OAK GRISEO / 22 OAK SOREN

NATURAL WOOD FLOOR - HARDWOOD

Design quality and natural charm are inseparable in our hardwood products. Since living and interior design are all about individuality we offer a wide range of different hardwoods.







01 ASH | 02 CORE ASH NATURA | 03 AMERICAN WALNUT

NATURAL WOOD FLOOR - SOFTWOOD

At home in any environment: our wide variety of softwoods makes anything possible. Compared with hardwood species, softwoods such as Larch, Spruce, Pine, and Stone Pine are softer and lighter. At the same time, with their more even grains and specific colours, they open up some delightful design possibilities.


































01 LARCH ALBA / 02 LARCH WHITE / 03 LARCH LYE-WASHED WHITE / 04 LARCH NATURA / 05 LARCH 06 LARCH AGED NATURA / 07 LARCH AGED / 08 LARCH LYE-WASHED NATURA / 09 LARCH GRIGIO 10 SPRUCE WHITE / 11 SPRUCE / 12 STONE PINE WHITE / 13 STONE WHITE BASIC / 14 PINE BASIC 15 RECLAIMED WOOD EXTREME / 16 RECLAIMED WOOD MULTI-STRIP





BRUSHED













1 SANDED

For many years this has been a standard finish of wide plank wood floors. A totally smooth surface is achieved by the uniform sanding of the wood.

2 BRUSHED

Wood invites you to touch it and to experience it with all your senses. The soft parts of the wood are brushed out of the floorboard. This creates a beautiful texture with a surface that is more durable.

3 SCRAPED

Scraped and gently brushed lengthways highlights the rich, organic texture within the wood grain. In this way the natural beauty of the wood comes into its own.

4 USED

Used is created by vigorous brushing across the grain, which gives the floorboard a look and feel with a stunning character, while perfectly equipping it for every situation in the life of a floorboard. It becomes even more beautiful and lively as the days go by.

5 CROSS

Strong brushing along and across the grain makes cross-textured floors an exceptionally resilient companion full of character for lovers of strong textures.

6 ALPIN

Combining scraping with strong brushing across the fibres that loves to be explored by hands and feet.

7 ANTICO (only possible with Pro Care natural oiled finish)

Antico conveys the flair of the "good old days" and is aimed at all lovers of nostalgia. Using a variety of finishing steps such as strong texturing and 3D brushing as well as a V-joint, these floors are made to look oldfashioned.

8 AUTENTICO (only possible with Pro Care natural oiled finish)

The grooves and small curvatures around the knotholes create an authentic design that cannot be improved on. Here nature indicates the direction.

Textures – Highlights



AUTENTICO


Every branch has its purpose, every groove and even the smallest curvature meaning. Here nature indicates the direction. Format: 15 x 192/195 x 2000 mm

















ANTICO

Unique ageing techniques like distressing, 3 dimensional brushing and strong bevelled edges give the planks the beautiful characteristics of traditional hand finished floors with a visible texture and a very durable surface. Format: 15 x 158/188/192 x 2000 mm

TYPES OF WOOD



















Every floorboard is brushed once on the edge, in the middle or over the entire surface – the mixed laying creates a special image of this texture. Format: 15 x 192 x 2000/2400 mm






















Combining strong across brushing and a scraping of the wood creates a truly unique sensory experience.



















Selection – Floors

NATURA FLOORS - FEELS LIKE UNTREATED

Nearly as nature created it.

Untreated floors exert a special fascination.

Noble, stylish and with just the right touch of originality,

NATURA meets all these requirements.

Format: 10/15 x 158/161/180/192/195/240 x 1850/2000/2400 mm

Nearly as nature created it.

Untreated floors exert a special fascination.









TYPES OF WOOD







RECLAIMED WOOD


The rough character of these floors makes them unsuitable to walk barefoot on. They compensate with their uniqueness and their very special charm between design and alpine tradition.

Note: knots and shakes are not filled surface-to-surface, in particular, for example, wormholes can be present.

Format: 15 x 192/240 x 1850/2000/2400 mm

When we let high-quality foliage and softwood look old, we do for good reason. Every grain is a living patern, every groove tells its own story.







LYPES OF WOOD

Selection Formats – FLOORs




HERRINGBONE TWIN

Tradition reinterpreted. Practical to handle, diverse in design and a lot of choice. A simplified execution of the classic herringbone pattern. Format: $10 \times 120 \times 590 \, \text{mm}$ und $15 \times 120 \times 590 \, \text{mm}$

Popular for centuries in palaces and mansions, this magnificent wooden floor still brings an special flair to all rooms.











CHEVRON

Various formats and angles $(45^{\circ}-120 \times 500 \text{ mm};$ $60^{\circ}-120 \times 525 \text{ mm})$ make the traditional herringbone pattern a design highlight full of classic elegance. In 10 and 15 mm thickness.

A classic is rediscovered! The traditional Chevron/Hungarian herringbone pattern is the design highlight when it comes to bringing elegance to smaller rooms, but also larger areas if you like. The natural beauty of the wood is emphasized and contributes to the classic look.



Selection – Long & XXLong









LONG

For a greater impression. Format: 15 x 280 x 2800 mm

Times have changed, but our passion fo noble an exclusive long floorboards has remained. And they fint in beautifully: THEN, AS TODAY.






XXLONG

Format: $15 \times 192/240/280/325 \times 3500 - 5000$ mm (Lengths subject to availability, on request possible up to 8000 mm in hardwood.)

With great tradition and sometimes of quite considerable length up to 8 meters. What nature provides us, we turn into floorboards of EXTRAVAGANT LENGTHS.
































Surface finishes – Floors



EASY-CARE (EC) -

READY-TO-USE. OILED FINISH - NO INITIAL OIL TREATMENT REQUIRED!

ALL EASY-CARE textures are always delivered FINISHED and therefore have a very high resistance to soiling at the factory. The mechanical load-bearing capacity is regularly tested in-house, which ensures that it is suitable for use on buildings. The EASY-CARE texture includes high process reliability and color constancy and has a high mechanical load capacity. NO initial maintenance required, ongoing maintenance MUST be carried out according to the use! The easy care natural oil consists of sustainable raw materials. The oils used for the Easy Care Texture are natural oils in accordance with ÖNORM C 2380: 2008, point 4.



PRO-CARE -

PRE-OILED AT THE FACTORY - INITIAL CARE MANDATORY (PC)


Natural Oiled Pro Care floors require a post-installation oil PC before they can be used. Hardening by oxidation.



MATT LACQUER (ML) -

The application of Matt Lacquer will completely seal the surface and pores of the wood. This finish is very durable and absolutely uncomplicated in care and maintenance.

All Admonter floors are a natural product and will over time change colour. Depending on the amount of exposure your floor has to sunlight, lighter timber will turn darker and darker timber will become lighter. This change is most pronounced in the first 3–6 months. Depending on the respective surface treatment (e.g. easy care, matt lacquered, pro care) there may be deviations in color and appearance. -> DOP and standard fire behaviour classifications not valid with regards to raw surfaces.











Equipment



SKIRTING

FLUSH-MOUNT SKIRTING

The flush-mount skirting board (protected by patents) is available with almost all Admonter wood species and finishes as well as a version in white that can be finished on site.

- » sanded
- » Length 2375 mm
- » Height approx. 60 mm (visible)



Stairs



BOX CONSTRUCTION

SYSTEM 1 – BOX CONSTRUCTION FROM 1 COMPONENT. WALL FACING END OPEN.

2 different standard dimensions




SYSTEM 2 – BOX CONSTRUCTION FROM 2 COMPONENTS. WALL FACING END OPEN. BOX LID ON UNDERSIDE LEFT OPEN FOR GLUING ON SITE.

Like variant 1 but in 2 interlocking pieces



SYSTEM 3 – BOX CONSTRUCTION FROM 2 COMPONENTS. BOTH ENDS OF BOX OPEN

2 different standard dimensions



DIMENSION 1

Tread depth - 330 mm

Tread height – 105 mm

Tread length – variable up to max. 1200 mm

For sub-construction e.g. 60 x 60 mm square tube



DIMENSION 2

Tread depth - 330 mm

Tread height – 85 mm

Tread length – variable up to max. 1200 mm

For sub-construction e.g. 40 x 40 mm square tube



In-situ concrete stair

DESIGN

What use is the most beautiful natural floor without a matching staircase? It is important to us at Admonter to add to the NATURAL WOOD EXPERIENCE in one flowing design. And this naturally includes matching stair nosings. Whether you choose them from our standard range or we custom-make them for you. We offer INDIVIDUAL solutions.

BASIC DESIGN

In-situ concrete stairs are clad the same wood as your floor surface. This ensures the optimal matching of structure and colour. The element width for straight steps is 1,180 mm and can be designed either with or without a side edge. The element depth for straight steps is 450 mm. The tread depth is professionally adjusted on site by a skilled craftsman. We can also manufacture special elements for in-situ spiral concrete staircases. If required, risers for the vertical mirror cladding can also be matched to the floor with the same structure and colour as the step cladding.

Selfsupporting stair

BASIC DESIGN

Self-supporting stair elements are the optimal solution for stringer stair designs with a bracket support of at least 50 mm on both sides. A maximum element width of 1,500 mm is possible.

The elements are fastened to the bottom of the brackets using adhesive and/or screws. Matching the material to the structure and colour of your floor surface harmoniously enhances the overall look and feel of your home design."



Admonter Holzindustrie AG | Sägestraße 539 | 8911 Admont, Austria Tel.: + 43 (0) 3613 / 3350-0 | info@admonter.at | www.admonter.com



























